

# **Practical and Project Work**

### LEARNING OUTCOMES

After completion of the unit the students will be able to:

- \* Plot the different graphs of functions on Excel.
- \* Learn different operations performed on the matrix.
- ✤ Learn how to perform simulation.
- \* Comprehend practical applications of demand and supply associated with economics.
- ✤ Understand the meaning of Data Analysis and Data Visualization.
- Apply Analytical Methods for business decision-making.
- \* Analyse different data and develop meaningful inferences for decision-making.

### **Practical and Project Work**

#### Assessment Plan

- 1. Overall Assessment of the course is out of 100 marks.
- 2. The assessment plan consists of an External Exam and Internal Assessment.
- 3. External Exam will be of 03 hour duration Pen/Paper Test consisting of 80 marks.
- 4. The weightage of the Internal Assessment is 20 marks. Internal Assessment can be a combination of activities spread throughout the semester/academic year. Internal Assessment activities include projects and excel based practicals. Teachers can choose activities from the suggested list of practicals or they can plan activities of a similar nature. For data-based practical, teachers are encouraged to use data from local sources to make it more relevant for students.

Sl. No.	Area and Weightage	Assessment Area	Marks allocated
1.	Project work (10 marks)	Project work and record Year-end Presentation/	5
2.	Practical work (10 marks)	Viva of the Project Performance of practical and record Year-end test of anyone practical	5
	Total	20	

5. Weightage for each area of internal assessment may be as under:

### Practical: Use of spreadsheet

### Learning Outcomes

Students shall be able to:

- Draw graph of an exponential function
- Comprehend Demand and supply functions on Excel
- Study the nature of function at various points
- perform Matrix operations using Excel

Suggested practical using the spreadsheet

- Plot the graphs of functions on excel and study the graph to find out the point of maxima/minima
- Probability and dice roll simulation
- Matrix multiplication and the inverse of a matrix
- Stock Market data sheet on excel
- Collect the data on weather, price, inflation or pollution. Analyse the data and make meaningful inferences
- Collect relevant data from newspaper on traffic, sports, stock markets and use excel to study future trends

### **About Project Work**

Some suggested project works are given below (according to the syllabus). For more details, you can refer to the syllabus. The project work would be conducted individually or in a group (3 to 4 students). Students select the topic related to the practical implementation of mathematics in different domains. Project work includes Data analysis, predicting market trends for better decision making, making inferences based on collected data, do simulations, and find out different best solutions to real-time problems. You can collect the data sets of various domains from different platforms like Kaggle, <u>https://www.kaggle.com</u> (world's largest data science community), Google Public Datasets, Amazon Web Services (AWS) datasets, and many more for data analysis and make better decision making. Students may also work on various projects based on the prediction of future sales, stock market, air pollution, COVID-19 outbreak etc.

Evaluation of each project should be based on the learning outcomes and practical implementation of its results. The objective of the project should be clear to every student. Different approaches for solving the problem and get the best and optimized solution to it. Teachers should guide the students in making their projects successful.

### List of Suggested Projects (Class XII)

- 1. COVID-19 Data Analysis, pre-process and merge datasets to calculate needed measures and prepare them for an Analysis. In this, you can work with the COVID19 dataset, published by John Hopkins University, which consists of the data related to the cumulative number of confirmed cases, per day, in each Country.
- 2. Earthquake prediction using past data.
- 3. The Project Manager uses cost trend analysis to identify project budget under and overruns and to solve many budget issues. One of the responsibilities of a project manager is to manage the project budget. This covers, estimating the initial budget (in most cases or at least reviewing),

creating a monthly budget plan, tracking progress (actual)spend , and then re-forecasting the budget required (known as the estimate to complete – ETC).

The objective of conducting this analysis is to identify where a project will under or overrun the budget. While a project manager should be completing budget reviews and re-forecasts regularly. So the data needed for this is:

- List of projects
- Budget for each project
- Previous months Year to Date (YTD) Actuals for each project
- Current months YTD Actuals for each project
- Estimate to Complete (ETC) for each project
- This data should be produced by the project monthly so hopefully should not present an issue.
- 4. Another popular one is to obtain product and pricing data from e-commerce sites for Data Analysis and decision making. For instance, extract product information about Bluetooth speakers on Amazon, or collect reviews and prices on various tablets and laptops. This means you can start with a product that has a small number of reviews, and then start analysing with previous feedbacks, reviews on that particular product, and upscale according to the parameters you could choose for better sales.
- 5. Global Suicide Rates Analysis by taking the dataset from Kaggle (<u>https://www.kaggle.com/</u><u>russellyates88/suicide-rates-overview-1985-to-2016</u>), it covers suicide rates in various countries, with additional data including year, gender, age, population, GDP, and more. When carrying out your EDA (Exploratory Data Analysis), ask yourself: What patterns can you see? Are suicide rates climbing or falling in various countries? What variables (such as gender or age) can you find that might correlate to suicide rates?
- 6. Most Followed on Instagram: Whether you're interested in social media, or celebrity and brand culture, this dataset of most-followed people on Instagram

<u>https://data.world/socialmediadata/most-followed-on-instagram</u> has great potential for visualization. You could create an interactive bar chart that tracks changes in the most followed accounts over time. Or you could explore whether brand or celebrity accounts are more effective at influencer marketing. Otherwise, why not find another social media dataset to create a visualization?

- 7. Superstore Sales Forecasting Data: Areas such as product placement, inventory management, and customization of offers, are sought to improve constantly through the application of data science. Collect the data of various stores and on basis of historical data predict the sales. The goal is to predict the department-wise sales of each store using the historical data spanning across 143 weeks.
- 8. Forecasting Uber/ Rapido Demands

### **Demand and Supply functions on Excel**

A spreadsheet provides various types of charts to display demand and supply information. Different types of charts are available to use but it depends on what kind of analysis you are going to perform. If the data requires finding the equilibrium for supply and demand, a line graph provides the best results as well as visualization but if you want to show the variations between supply and demand, a column chart is more suitable.

For creating different charts on supply and demand, the steps are as follows:

1. Open a new spreadsheet, add the data in the different columns as in the image shown below i.e. price, quantity demanded and quantity supplied.

6	6 C	alibri - 11	- A A = =	87 •		General	*		<b>P</b>	Delete		*	
	y 8	3 I U - 🖽 - 💆	•••	使法	- 🖽	<b>\$</b> -%,	€.0 00 00 +.0	Conditional Formatting *		10.00	Sort	8t Find & • Select •	
lipboar	6	Font	ra Align	ment	15	Numbe	n n	100 C	styles	Cells	Editi		
V16	*	$  \times \sqrt{f_x}$											
	A	В	с	D		E F	G	н		JK	L L	м	
Price		Quantity Demanded	Quantity Supplied										
	4	150	24										
	5	106	55										
	6	80	80										
	7	65	94										
	8	50	100										
	9	29	120		_								
													_
					_		_					_	-
							_				_		
					_								
												_	
													-

Fig 1: Supply and Demand Data

2. Select columns of price, quantity demanded, and quantity supplied and click on the Insert Tab, choose line chart from chart group.

Pivot	lable Reco Piv	mmended Table	Illustrati	Store	Recorr	imended harts	2-D Line	**	ind Chard		Column Wir Los parklines	n/ Slice	Timeline	Hyperlink Links	Text	Ω Symbol	ls
A1		•] : [ <u>×</u>	fx	Price			X	N	$\sim$	-	purkings			LUNA			
A1	A		Jx	C	D	E	1.2	1	+	н	ă I	j	к	L	м		N
-	rice		anded	Quantity Supplied	-	-		w	W	-		-		-			-
2	1		150	24			3-D Line	-									
		5	105	55			3-D Line										
	6	6	80	80			N										
5	7	7	65	94			24-										
5	8	B	50	100			Los More	Line Cha	rt r								
7	5	9	29	120			EG Dien	come cond	(Gapini								
3																	
2								_									
0																	
1								_									
3																	
4						-		_									
5								_	-								
(T)																	

Fig 2: Line Chart

3. After choosing a line chart, it will appear with the mentioned data values on the x-axis and y-axis with different colors. By default, the price would be at x-axis.

		Sort & Find Filter - Selec Editing	∑ - ⊌ - ∢ -	Delete * Format * Cells	Provide Provid		Table *	Condition Format as Cell Styles St	, 🕎	eneral • % % • % Number		<b>₩</b>	≡ ≡ <b>₩</b> ≫ ≡ ≡ ≡ € Alignmer	A A -	• 11 •	ι <u>υ</u> .	10000	- 665 -	asti Jipb
															√ fx	$\sim$	· ¥		15
1	L	к	J	1	1	н		G	F	E		D	c		В			A	4
													ty Supplied	Quanti	emanded	antity De	Quan	rice	P
													24	1	150		4		
				5	pply	and Sup	and a	Dem					55		106		5	3	
-											10		80		80		6		
				-					~		9		94		65		7		
P					1	1		A			8		100	<u> </u>	50		8		
						-	~				7		120		29		9	1	
_							_	-			5								
_		-			-				-		4						-		
-				-							3								
_											2						_		1
				r -							1						_		2
		160	140	120	100	80 1	1 - 32	60	40	20	0								3
		200								20	0								4
			1	tity Supplied	Quantity		nanded	lantity Der	0										5
		1					1				-						-		6 7
_											_								/ B

Fig 3: Supply and Demand Line Chart

With the same data, you can also visualize the data by using a scatter plot. The scatter chart is shown below. The supply and demand curve will intersect at a point which is your equilibrium point and it is visible in both the charts.

Paste	K C	- I					¥ 0 00 0 00	Formatting *	Format as Ce Table * Style Styles		- 👿 -	AZT Sort & Filter * Editing	Select *	
215		$  :   \times \checkmark f_x$												
	A	В	c	D	E	F	G	н	i i	J	к	L	M	N
Pri	ice	Quantity Demanded	Quantity Supplied											
	4	150												
	5	106						C	hart Title					
-	ő	80			160									
-	7	65			140			•						
-	8	50			120									
	9	29	120		100									
-					80					•				
					60				~ 1	•				
-					40					•				
					20						٠			
					0									
					0	)	2	4	б	8		10		
								Quantity Dema	ndert - Ouanti	ty Supplied				
1							-	quantity being	nuco e quant	iy supplied				

Fig 4: Supply and Demand Scatter Chart

### **Matrix multiplication**

Before going to matrix multiplication we need to know about the basics of the matrix, what is the matrix? A matrix is an arrangement of numbers in rows and columns.

For example, Matrix A has two rows and two columns

 $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$ 

1. In Microsoft Excel, the MMULT function is used for multiplying any two matrices. So let's take two matrices 3x3 matrix A and matrix B as shown in the given figure below.




Fig: 5: Two 3x3 Matrices A and B

2. For multiplication of two matrices A and B, the number of columns in the first matrix must be equal to the number of rows in the second matrix. After selecting the cells 3x3 and write down the MMULT () function in the given cell . You can see in the below figure once you write the MMULT function it asks for array 1 and array2.

te of s	BIU	I - E-	A A <u>A</u> - A -	533	≕ ∛·· ≣ 62 ÷2		General - % ㅋ Number		Condition Formatting	al Format as Cell g Table Totyles	Delete - Format - Cells	∑ - A Z - Z Sort & Find e Filter - Sele Editing	4.65
M	•	X 🗸 .	$f_x = M!$	MULT(									
А	в	с	D	E	F	G	н	1	J	κι	M	N O	P
Matrix A						Matrix B							
1	-	2 4 2 8	-			2	2 3	5					_
3		2 8 4 9				2	2 6	7					_
	3x3	4 9				,	3x3	8					
	AxB	=MMULT(											
		MMULT(a	irray1, array)	2)									

Fig 6: MMULT () function

So Array 1 is the first matrix and Array 2 is the second matrix. After opening the bracket of the MMULT function select the cells of Matrix A (A2:C4), as well as Matrix B (G2:I4) separated with comma as given the fig 7 and 8.




Fig 8: Array 2(Matrix B)

3. While calculating the result, key Combination Ctrl+Shift+Enter should be used and you will get the desired output. As you can see in fig 9.

Note: Do Not Press Enter Alone, Pressing enter alone will only show one value instead of a matrix.

1	X	Calibri		- 11	• A A	<b>≍ = </b>	87.	E.	General		-				Ensert +	Σ-1	27 M	
Paste		BI			<u>۵</u> - <u>۸</u> -	E = 3			<b>9</b> - %			Condition		Celi Styles +	Format *	₹ ¶ ¶ ¶ ¶ ¶ ¶ ¶ ¶ ¶ ¶ ¶ ¶ ¶	ort & Find & ilter = Select =	
lipb	oard 🕞			Font	5	Al	ignment	riji -	Nu	mber	F2		Styles		Cells	9	Editing	
8		* 1	$\times$	× .	<i>f</i> <sub>x</sub>   {=MN	ULT(A2:C4	,G2:14)}											
1	А	В		С	D	E	F	G	Н		E.	J	к	L	м	N	0	P
N	latrix A							Matrix B										
	1		2	4					2	3	5							
	3		2	8					2	6	7							
	2		4	9					1	2	8							
		3x3							3x3									
			_															
			-															
		AxB		10	23	51			-	_								
				18	37	93				_								
				21	48	110				-								
			_					-	-	-							-	
ŀ									-	-								
-			-															
+									-	-								
			-					-	-	-							-	
					_										•			
4		She	et1	Sheet2	Matrix	(+)							4					•

Fig 9: Matrix Multiplication using MMULT () Function

### Finding the Inverse matrix using MS Excel

1. For calculating the inverse of a given matrix, the MINVERSE function is used. First, create the matrix A (3x3) given below in fig 10. Enter the values in rows and columns.

Paste v	в <i>и</i> ч	11 - A A A	==	<b>87</b> • ■ 45 +E		eneral 2 - % * Number	.00 400	Conditional Formatting	Format as C Table * Styl Styles	Billinsert Billinsert Billinsert Billinsert Delete Billinsert Cells	• 💽 • 2 • 🖉 • 54 • Fi	ort & Find & Iter * Select * diting	
F3	* I × ~	$f_x$											
A	B C	D	E	F	G	н	1	j	к	L M	N	0	P
	Matrix A												
	-2	1 3											
	-4	0 5			-								
	3	5 2											
-													
											(		

#### Fig 10: 3×3 Matrix

2. Once you create the matrix, then write the MINVERSE in the highlighted cell in which where you want to place the resulting matrix . For the array, select the Matrix A cells (B2:D4). As you can see in the below-given image fig:11.

te *	BIU		- A A				General		Condition:	al Format as	Cell	En Insert -		T 👬		
aboard 15		Font			Alignment					<ul> <li>Table - S</li> <li>Styles</li> </ul>	tyles -	Cells	Ed	er - Select -		3
	- : 7	K 🗸 .	f <sub>x</sub> =MI	NVERSE	B2:D4											1
А	В	с	D	Е	F	G	н	1	J.	к	L	М	N	0	р	
	Matrix A															Ι
	-2	1	3			RSE(B2:D4										
	-4	0			MINVER	RSE(array)										
	3	5	2			-										
						-										
						-										
													,			
	Sheet1	Sheet2	Matrix	Inve		÷			E		-				1 1	>

Fig 11: MINVERSE Function

3. While calculating the result, key Combination Ctrl+Shift+Enter should be used and you will get the desired output. As you can see in fig 12.

Note: Do Not Press Enter Alone, Pressing enter alone will only show one value instead of a matrix.

Paste	40.	🖽 • 🖉	_	任任	∎ • 4 ≫••	General • • % • • % • • % Number 5	Forr	ditional Forma nat as Table * Styles * Styles	atting +	Delete *	$\sum_{x} \cdot \frac{A}{2} \cdot \cdot$ $_{z} \cdot \cdot$ Editing	~
F2		- = )	X 🗸 .	fx {=MIN	VVERSE(B	2:D4)}						~
	А	В	c	D	E	F	G	Н	1	J	к	L
1		Matrix A										
2		-2		3		-1.92308	1	0.384615				
3		-4	0	5		1.769231	-1	-0.15385				
4		3	5	2		-1.53846	1	0.307692				
5												
5		_										
7												
3												
3												
0												
1												
2												
3												
4												
5		_										_
6		_										
4	51	Sheet1	Sheet2	Matrix	Invers	e (+)	2	: (				

Fig 12: Inverse of Matrix

### How to Calculate Probability Using MS Excel?

Probability is the branch of mathematics and it is defined as the likelihood for which an event is probable, or likely to happen. MS Excel has built-in function PROB for calculating the probability. PROB function is classified under the MS Excel statistical functions. The function of probability worked in different domains like in business, sports, in financial analysis for estimating the long term business losses and gain.

Formula :

=PROB (x\_range, prob\_range, [lower\_limit],[upper\_limit])

- range the range of numeric values containing our data
- prob range the range of probabilities for each corresponding value in our range
- lower\_limit -the lower limit of the values for which we want to calculate the probability
- upper\_limit -the upper limit of the values for which we want to calculate the probability

Let's take an example to understand the usage of the built-in function PROB for calculating the probability.

The Below table contains grades and their corresponding probabilities. Here we set the lower limit to 50 and the upper limit to 80.




Fig 13: Table for Grades

1. After entering the data in the table we write the PROB function in the formula bar along with the arguments. Select the cell (A2:A7) for grades and B2:B7 for corresponding probabilities with lower limit 50 and upper limit 80.

ables	Illustrations Add	- Recommen	$\frac{\  \  \cdot \ }{\sqrt{2}} \cdot \frac{1}{2} \cdot \frac{1}{$		<i>a</i>	dines Filters	Hyperlini	A Text	Ω Symbols		~
SUM	• :	× .	fx =PROB(A	2:A7,B2:B7	,5 <mark>0,8</mark> 0)						~
4	A		В		С	D	E	F	G	н	1 4
	rades	Probability	of getting eac	h grade							
2		50		0.5 =	PROB(A2	A7,82:87,5	0,80)				
3		60		0.1							
4		70		0.25							
5		80		0.1							
5		90		0.04							
7	1	00		0.01							
3										· · · · · · · · · · · · · · · · · · ·	
3											
0											
1											
2											
3											
4								)			
5											
-											
4	> shee	t Sheet 1	Probability				4				•

Fig 14: PROB function

2. After applying the formula you will get the resultant in desired cell i.e.C2 cell 0.95.

		Ω Symbols	Text *	Hyperlink Links	Filters	Chart Sparklines I	Recommended Charts	Illustrations Add- ins *	ables •
							fx fx	× 1 )	H16
Н	G	F	E	E	D	с	В	A	
						Probability	Probability of getting each grade	rades 🔹	1 G
					j	0.95	0.5	50	2
							0.1	60	3
							0.25	70	4
							0.1	80	5
							0.04	90	6
							0.01	100	7
					_				3
									9
									0
									1
									2
									3
									4
									5
									6

Fig 15: Result

### **Dice roll simulation**

The given example shows you how to simulate the dice roll in MS Excel. Following are the steps to follow which is given below:

1. The first is to choose the dice, for this go to the INSERT tab and click on the Symbols and select the Segoe UI symbol as shown in fig 16.

FILE	HOME	INSE	ERT PA	GE LA	YOUT	f	ORM	ULAS	[	ATA	R	EVIEW	٧	VIEW		DEVEL	OPER	t				Sign ir
Tables	<b>I</b> llustrations ▼	Add- ins *	Recommer Charts	ded	● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	<u>-</u>	☆・ ■	Pivot	Chart		rkline	s Filt	ters	Hyper	link	A Text	t Syr	Ω mbols	•			~
A1	×	: 🗙	Symbo	ł														?	8	×		v
1	A	B	Symbo	ols	Sgecia	l Chai	racters														L	-
1			Eont:	Sego	e UI Sj	mbol				~	Sub	set: N	liscel	laneou	s Sym	bols				Y		
3						ė				::			0	0	•	•	_		=	^		
4				=		P		*	Ĵ	X	\$	<b>\$'</b> \$	A	\$	0	*	*	offe	\$			
6			1	1		4	a				-		ð									
7			12	1		>	₽	ଙ	ø	Q,	ð	Ŷ	0	O#	0		0	00	ю			
8			0-0	0	Ö	9	2	Ŷ	*	*	Ł	ç	*	Y	π	ą	$\odot$	0	Ŷ			
9			639	-			-	*	12.92	8	ф	V			X	-	V	K	5			
11			Becen	tly us	ed syn	bols:									7							
12								•		±	_	V	€	f	¥	C	8	TM	≠	1		
13				-	1.2	11		-	=	-		N.		1-	-				10			
14			Unico		me:						Ch	aracte	erco	de: 268	0	from:	Unic	ode (ł	next	~		
15			Die Fa	ice-1								ALC: U LL			~	II O III	Cinc	oue h	ient	1000	-	
16															E	Inse		1	Cano	al	-	
4 EDIT	▶   /编	sheet	8	-	_	-	_	6			_	-	_	Ħ	(8)				carit	-	-+ 1	•

Fig 16: Dice Selection

2. After selecting the Segoe UI Symbol, select the dices from 1 to 6 in column B.

FILE	н	OME	INSE	RT PA	GE LA	YOUT		FORM	ULAS	1	DATA	R	EVIEV	/	VIEW		DEVEL	OPER	8				Sign in
Tables	Illustrat	ions A	a Add- ns t	Recommer Charts	nded	• • • • • • • • • • • • • • • • • • •	<u>.</u>	*		tChar	t Spa	irkline •	s Filt	ters	Hyper	link	Text	114	Ω mbols				~
83		-	X	Symbo	đ														?		×		v
1 2	A	В		Symbol Eont:	-	S <u>p</u> ecia e UI Sy			5		~	Sub	set: N	liscell	laneou	ıs Sym	bols				~	L	4
3		000	000	۲		0	ė	0			::			0	0	•	•	-		=	^		
4 5				==		==	P		*	Ĵ.	X	\$	54	m	Ŷ	0	*	**	afe	\$		-	
6 7				$\geq$	<	Δ	5	œ	ø	ø	q	ð	¥	ð	OP	0	•	0	œ	oio			
8				0-0	0	Ö	9	2	Ŷ	*	*	Ł	ç	*	V	π	ą	•	0	P			
9 10				8	6			1	*	333	8	æ	V	U	$\square$	×	-	V	K	5	~	-	
11				Recen	ntly us	ed sym	bols																
12					$\square$					=	±	-	V	€	£	¥	C	۲	тм	≠		-	
14 15				Unico Die Fa		me:						Q	aracti	er coc	ie: 268	35	from:	Unic	ode (h	nex)	~		_
16				_													Inse	ert		Close			*
4	- P	. Sh	eet 2		1	_	-		_	_	-	_	_	1.					I Baa				•

Fig 17: Dices

3. Put each dice on the single-cell by selecting the one dice Ctrl+X and paste it in another cell along with numbering 1 to 6 as shown in fig 18.




Fig 18: Copying of Dices in individual cell

4. The Next step is to generate the random number between 1 and 6 just similar to the roll of dice by using built-in function RANDBETWEEN. By applying this function, you have to enter the bottom and top values.

S	PER	DEVELO	VIEW	IEW	ta rev	AS D	FORMU	E LAYOUT	ERT PAG	INS	HOME	FILE
	Ω Symbols	4 Text	Hyperlink	Filters	5parklines	ivotChart	- ilii - ,		Recommend		∎ Illustrations	ables
	•	٣	Links	•	*	•		Charts	Charts	ins *	•	•
						N(	DBETWEE	x =RAN	< 1 f.		OBET *	AN
K L	J	I.	н		G	F	E	D	с	В	A	4
												1
				_	1		4					2
					_			=RANDBE			1 🖸	
				_		ttom, top)	TWEEN(bo	RANDBE			2 🖸	
				_							3 🖸	6
				_	_	-					4 🖸	5
				_							5 🖾	6
					-	-		_			6 🛛	
					-							
												1
						-						2
					1							3
				-		-						4
												5
												6
1 1			1	1.1		(4	Sheet5	Sheet4	Sheet3	Sheet 2	» [	



- Sign HOME INSERT PAGE LAYOUT FORMULAS DATA REVIEW VIEW DEVELOPER 山・豊・索・ 3 3 1 Ŧ 4 Ω 12 ·福·圖· Add-PivotChart Sparklines Filters Tables Illustrations Recommended Hyperlink Text Symbols ) - 10 ins -Charts \* -Charts Links RANDBET ... \* × ✓ fx =RANDBETWEEN(1,6) ÷ \* C D Е F G н J K L E A В 1 1 2 3 =RANDBETWEEN(1,6) 1 🖸 2 🗖 4 5 3 🖸 6 4 🖸 7 5 🖾 8 6 🗆 9 10 11 12 13 14 15 16 5  $\oplus$ 4 Sheet 2 Sheet3 Sheet4 Sheet5 1 .... 4 5 ENTER
- 5. Put the 1 as the bottom value and 6 top value and enter it. Any random number would be generated as you can see in Fig 21.

Fig 20: Top and Bottom value of RANDBETWEEN Function

	Ω Symbols	link Text	- G	parklines Filte	votChart S	T 10 T	Charts	Recommende Charts	Add- ins *	Illustrations *	äbles *
								< 🗸 fs	: >	*	G3
K L	J	1	н	G	F	E	D	c	В	A	4
											1
									~		2
							3			1 🖸	3
				1						2 🗖	4
										3 🖾	5
										4 🗆	5
								-		5 🖸	7
								_		6 🖾	3
											3
								_			0
								_			1
											2
											3
											4 5
											6
			1		÷	Sheet5	Sheet4	Sheet3	Sheet 2	>   1	

Fig 21: Random Number Generation

6. Apply the VLOOKUP function to select the outcome for each die. Place the number for the first die in column D and the number for the second die in column E as shown in fig 22 .

Sign			Symbols	DEVELO 4 Text	VIEW Hyperlink	/IEW Filters	Sparklines	1	Îlii - Piv	▲YOUT ↓11 ~ 📑 ~ ☆☆ ~ 💩 ~ ④ ~ 🗠 ~ Charts	Recommended Charts	Add- ins *	D	FILE Tables
,									(UP(D3,		√ fx	: >	*	D4
	L	К	j	î.	н		G	F	E	D	c	в	A	al
														1
											17.2			2
									1	5	I		1 🖸	3
									D3,	VLOOKUP	=		2 🖸	4
				ookup])	um, [range_le	index_nu	array, col_	lue, table_					3 🖸	5
													4 🖸	6
													5 🖾	7
													6 🛙	8
					6									9
				$\bigcirc$										10
														11
														12
_														13
	-				K									14
_	L				<b>•</b>		X							15
_							$ \rightarrow $							16
F	1	11			4	: 1		÷	Sheet5	Sheet4	Sheet3	Sheet 2	>	4

Fig 22: VLOOKUP Function

7. Add different parameters like lookup value, table array col index and range lookup. Write down the formula in cell D4, open the bracket and choose D3 value and put a comma. For table array, select the column A and B along with the associated values within the cell and press F4. Add col index value is 2 and for range lookup to choose the argument FALSE. And press enter.

Syntax:

=VLOOKUP (value, table, col\_index, [range lookup])

Arguments:

Value: The value to look for in the first column.

Table: The table from which to retrieve a value.

**Col\_index:** The column in the table from which to retrieve a value.

**Range\_lookup:** - [optional] TRUE = approximate match (default), FALSE = exact match.

		Ω Symbols	A Text	Hyperlink Links	Filters	Sparklines	votChart	- 111 - Pi	ed → ₩ Charts	ecommend Charts	Add- R	[t] Illustrations ▼	Tables
						в,	A\$3:\$B\$	KUP(D3,	τ =VLO	✓ f.	: 🗙	*	D4
L	K	J	1	н		G	F	E	D	С	В	A	
													1
					_	_		-		-			2
									5			1 🖸	3
		1	okuni)	ım, [range_lo	ndev nu	array col is			=VLOOKU			3 🖸	5
			orab D	ini, (range_re	nuex_nu	array, cor_n	ide, table_	(iookup_v	TEOORO			4 🖸	5
												5 🖾	7
										1		6 🛙	3
													)
													0
		•											1
			ZA	(									2
													3
													4
				X		_			-				5
													6
1 [				0			•	Sheet5	Sheet4	Sheet3	Sheet 2	>	4

### Fig 23: VLOOKUP Arguments

					1		IS DA				-		
		Ω	4		EŦ	**		• 谢•	- ill - 🔤	2	5	r⊗	
		Symbols *	Text *	Hyperlink	Filters *	Sparklines *	votChart	Pin Pin	ed 🥠 - 🕍	Recommende Charts	Add- ins *	Illustrations *	bles ₹
				ut that	1	8,2,FALSE)		KUP(D3,\$		< 🗸 f	: >	*	4
L	к	J	I.	н		G	F	E	D	c	в	A	
						_							-
								1	5		-	1 🖸	
						ALSE)	\$B\$8,2,F	(D3,\$A\$3	=VLOOKU		$\sim$	2 🗆	
												3 🖸	
ļ					_	_						4 🖸	
					_	_						5 🖾	_
					_					_		6 🛙	-
				_	_	_							-
					-	-							-
													-
													-
				<u>د</u>	: [	)	÷	Sheet5	Sheet4	Sheet3	Sheet 2	×	4

### Fig 24: VLOOKUP Function

8. After press enter, you will get the dice roll in the desired cell which is mentioned below in the given fig 25 and 26.




Fig 26: Two Dice Roll

9. For increasing the Dice size, click on the HOME tab and select the alignment and Increase font size. Adjust the size of both the dice.




Fig 27: Resizing the Dice

10: Now select one dice, copy it and paste it on another sheet and check the formula bar.




Fig 28: Formula for Dice 1

FIL	E H	IOME IN	SERT PAC	SE LAYOUT	FORM	ULAS D	ata re	EVIEW VIE	EW DE	EVELOPER		Sig
Paste		Calibri B I U T + 2 For	nt 🕠	₩E ₩E Alignm	≣	<b>♀</b> • % •.0 •.0	, 🖾 Po	nditional Forr rmat as Table Il Styles <del>+</del> Styles		Insert *		
L15		* E )	× -< ;	fx								
1	A	В	с	D	E	F	G	Н	1	L	K	L
2 3 4												
5					-	1						
6				1	7							
7				<b>\</b> *•	~					-		
8		-		1.	~			•/				-
10							1					
11							-					
12									-			
13												
14												
<b>15</b> 16									<b>V</b>			-
4	· · .	Sheet3	Sheet4	Sheet5	Sheet	6 (+	)	ः जिन				
READ	Y 🔠									<u> </u>		+ 100%

Fig 29: Two dices

11. Similarly check for dice 2 and add some changes for rolling the dice in the given cell on the formula bar for rolling the dice simulation.

FILE	HOM	IE INS	SERT PA	GE LAYOUT	FORMUL	AS D	ATA REV	IEW V	EW DE	VELOPER	FORMA	T S	Sign
Normal	Preview	k 🗐 Cus	e Layout tom Views	Show Zo	oom 100% Zoom	Zoom to Selection	Rew W	e All	] (6)] ] 66 w	Switch indows +	Macros Macros		~
Pictur	re 2 👻	1 2	K V	$f_x$ =Sh	eet5!\$D\$4								×
1 2 3	A	В		D	E	F	G	Н	1	J	К	L	
4 5 6				-	1		~						
7 8 9 10				V	2		[	1					
11											_		-
13 14													ŢL.
15													-
READY	>   Mai	Sheet3	Sheet4	Sheet5	Sheet6	+	Ke	: •			1	- + 100	▶ 0%

Fig 30: Dice rolling simulation

### Plot the Graphs of functions on Excel

**Linear Function:** In mathematics, linear functions have the form f(x) = ax + b, where a and b are constants. The graph of any linear function is a straight line. The Linear function is quite popular in economics. It is very useful in comparing the rates of pay.

Let's take an example if one company offers to pay you \$450 per week and the other offers \$10 per hour, and both the companies asked you to work 40 hours per week, then which company is going to offer the better rate of pay? For this kind of implementation, a linear equation can help you out in a better way. More applications in the daily life of linear equations are: In Budgeting, making predictions, variable costs etc.

In excel, plotting of linear function graph, here we take the different values of x and put the values in the mentioned formula f(x) = 3x-3 and get the values. You can see in fig 31. Column A: Different values of x i.e. from 0 to 5 and Column B: f(x) = 3x-3. For calculating each value apply the formula for value 0, write it down in Column B second cell: 3\*A2-3, and then press enter you will get the value i.e. -3.




Fig 31: Different Values of x

After getting the 1<sup>st</sup> value, drag the A2 cell till A7, you will get all the values by formula. See the values in the given below fig 32. Now select both column A and column B and then for plotting the graph, go to the INSERT tab and click on charts and choose to scatter plot. Your linear function would be plotted for the given values which are shown in Fig 33. The Graph shows the straight line.




Fig 33: Graph of Linear Function

**Quadratic Function:** The quadratic function or polynomial of degree 2 is in the form of  $f(x) = ax^2 + bx + c$ , where a, b, and c are real numbers and a'"0. If a >0, the parabola opens upward. If a<0, the parabola opens downward. The graph of a quadratic function is a curve called a parabola. It may open upward or downward and can vary in their "width" but they all have the same basic "U" shape.

The quadratic functions are used in real-world situations or everyday life like optimizing profits for business, calculating areas of certain land, speed of an object like throwing a ball, determining a product's profit, etc.

In excel, for plotting graph of quadratic function  $f(x) = ax^2 + bx + c$ , we follow these steps.

- Take different values of a, b and c for the given function f(x) = ax<sup>2</sup>+bx+c, Let's take a=1, b=4 and c=2. Put these values in the given function you will get f(x) =x<sup>2</sup>+4x+2. Put the values of a, b, and c in different cells of column B as shown in figure 34 below.
- 2. After assigning the values of a, b, and c, assign different values to x. Now substitute these values in the function  $f(x) = ax^2+bx+c$  based on each value of x assigned. Apply the formula in the formula bar by selecting the cell and their associated values in the given fig 34.




Fig 34: Formula for implementing Quadratic Function

- 3. After applying the formula, press enter and you will get the desired value of f(x) for value x = -5 i.e 7 in Fig 35.
- 4. Now if you want to use the auto-completion, we simply lock the cells containing the values of a, b, and c as shown in fig 36.

nsert nction 🔲 Financial	• 🛛 Logical • Jsed • 🔀 Text •	8-	FORMUL Name Manage	AS DATA REVIEW C Define Name * C Use in Formula * Create from Selection Defined Names	子 「 「 「 」 「 」	race Preceden race Depende emove Arrow	ts 🕅 nts ⁄ •	Watch Window	Calculation Options Calculation	*	S
2 - :	$\times \checkmark f_x$	=B1*(D	02^2)+B2*	*D2+B3							
A	В	с	D	E	F	G	н	I.	J		к
Values of a	1	)	x	f(x)=x^2+4x+2							
Values of b	4		-5			_	_	_	_	_	
Values of c	2		-4					_		_	
			-3			-				_	
x			-1							-	
~			0			_					
			1								
			2								
			з								
			4					•			
			5							-	
							K				
E 5- ♂-	÷			Fig 35: Resul	t			<b>∏</b> ]	? •	- [	10
HLE HOME fx ∑AutoSum I Recently U	INSERT PAGE L • 😰 Logical • sed • 🖾 Text •	<b>Q</b> - 10 -	FORMULA Name Manager	Functions - Excel	VIEW	DEVELOP ce Precedents ce Dependent nove Arrows	er S	Watch Window	? 💽 Calculation Options -		
HLE HOME fx ∑ AutoSum fx Recently U: tection ☐ Financial →	INSERT PAGE L • 😰 Logical • sed • 🖾 Text •	<b>Q</b> - 10 -		Functions - Excel	VIEW	DEVELOP ce Precedents ce Dependent	×ER 5 ≪⊕ × 7 €5	Watch	Calculation		Sig
HOME HOME fx AutoSum Recently U Recently U Financial + Func	INSERT PAGE L • 12 Logical • sed • 12 Text • 10 Date & Tin	🖳 * 10 * me * 📕 *	Name Manager	Functions - Excel	VIEW	DEVELOP ce Precedents ce Dependent nove Arrows	×ER 5 ≪⊕ × 7 €5	Watch	Calculation Options -		Sig
HLE HOME fx ∑ AutoSum fx Recently U: tection ☐ Financial →	INSERT PAGE L - 12 Logical - sed - 12 Text - 12 Date & Tin tion Library	🖳 * 10 * me * 📕 *	Name Manager	Functions - Excel DATA REVIEW Define Name - True in Formula - Create from Selection Defined Names	VIEW	DEVELOP ce Precedents ce Dependent nove Arrows	×ER 5 ≪⊕ × 7 €5	Watch	Calculation Options -		Sig
HOME AutoSum AutoSum AutoSum Recently U: Sert Financial ▼ Func ANDBET ▼ A Values of a	INSERT PAGE L Constraints Logical * Sed * 100 Text * 100 Date & Tin tion Library X   fx B 11		Name Manager (D2^2)+\$E	Functions - Excel DATA REVIEW Define Name = Sty Use in Formula = Create from Selection Defined Names St2*D2+\$B\$3 E f(x)=x^2+4x+2	VIEW So Trac C Trac F	DEVELOP ce Precedents ce Dependent nove Arrows Formula /	ER 5 % - - & Auditing	Watch Window	Calculation Options - Calculatio	<b>n</b>	Sig
LE HOME fx ∑ AutoSum sert Recently U: sert Financial ▼ Func NDBET ▼ : A Values of a Values of b	INSERT PAGE L Constraints and the sed of th	€ * 10 * ne * 10 * =\$B\$1*( C	Name Manager (D2^2)+\$E D	Functions - Excel DATA REVIEW Define Name = Use in Formula = Create from Selection Defined Names S22*D2+\$B\$3 E	VIEW So Trac C Trac F	DEVELOP ce Precedents ce Dependent nove Arrows Formula /	ER 5 % - - & Auditing	Watch Window	Calculation Options - Calculatio	<b>n</b>	Sig
HOME AutoSum AutoSum AutoSum Recently U: Sert Financial ▼ Func ANDBET ▼ A Values of a	INSERT PAGE L Constraints Logical * Sed * 100 Text * 100 Date & Tin tion Library X   fx B 11	€ * 10 * ne * 10 * =\$B\$1*( C	Name Manager (D2^2)+\$E D -5 -5	Functions - Excel DATA REVIEW Define Name = Sty Use in Formula = Create from Selection Defined Names St2*D2+\$B\$3 E f(x)=x^2+4x+2	VIEW So Trac C Trac F	DEVELOP ce Precedents ce Dependent nove Arrows Formula /	ER 5 % - - & Auditing	Watch Window	Calculation Options - Calculatio	<b>n</b>	Sig
HOME AutoSum AutoSum AutoSum Recently U: Recently U: Financial ▼ Func ANDBET ▼ : A Values of a Values of b	INSERT PAGE L Constraints and the sed of th	€ * 10 * ne * 10 * =\$B\$1*( C	Name Manager D -5 -4 -3	Functions - Excel DATA REVIEW Define Name = Sty Use in Formula = Create from Selection Defined Names St2*D2+\$B\$3 E f(x)=x^2+4x+2	VIEW So Trac C Trac F	DEVELOP ce Precedents ce Dependent nove Arrows Formula /	ER 5 % - - & Auditing	Watch Window	Calculation Options - Calculatio	<b>n</b>	Sig
HOME AutoSum AutoSum Recently U: Financial ← Func NDBET ← A Values of a Values of c Values of c	INSERT PAGE L Constraints and the sed of th	€ * 10 * ne * 10 * =\$B\$1*( C	Name Manager D -5 -4 -3 -2	Functions - Excel DATA REVIEW Define Name = Sty Use in Formula = Create from Selection Defined Names St2*D2+\$B\$3 E f(x)=x^2+4x+2	VIEW So Trac C Trac F	DEVELOP ce Precedents ce Dependent nove Arrows Formula /	ER 5 % - - & Auditing	Watch Window	Calculation Options - Calculatio	<b>n</b>	Sig
HOME AutoSum Sert Ction Financial + Func ANDBET + A Values of a Values of c Values of c	INSERT PAGE L Constraints and the sed of th	€ * 10 * ne * 10 * =\$B\$1*( C	Name Manager D -5 -4 -3 -2 -1	Functions - Excel DATA REVIEW Define Name = Sty Use in Formula = Create from Selection Defined Names St2*D2+\$B\$3 E f(x)=x^2+4x+2	VIEW So Trac C Trac F	DEVELOP ce Precedents ce Dependent nove Arrows Formula /	ER 5 % - - & Auditing	Watch Window	Calculation Options - Calculatio	<b>n</b>	Sig
HOME AutoSum Sert Ction Financial + Func ANDBET + A Values of a Values of c Values of c	INSERT PAGE L Constraints and the sed of th	€ * 10 * ne * 10 * =\$B\$1*( C	Name Manager D -5 -4 -3 -2	Functions - Excel DATA REVIEW Define Name = Sty Use in Formula = Create from Selection Defined Names St2*D2+\$B\$3 E f(x)=x^2+4x+2	VIEW So Trac C Trac F	DEVELOP ce Precedents ce Dependent nove Arrows Formula /	ER 5 % - - & Auditing	Watch Window	Calculation Options - Calculatio	<b>n</b>	Sig
HOME AutoSum Sert Ction Financial + Func ANDBET + A Values of a Values of c Values of c	INSERT PAGE L Constraints and the sed of th	€ * 10 * ne * 10 * =\$B\$1*( C	Name Manager (D2^2)+\$E D -4 -4 -3 -2 -1 0	Functions - Excel DATA REVIEW Define Name = Sty Use in Formula = Create from Selection Defined Names St2*D2+\$B\$3 E f(x)=x^2+4x+2	VIEW So Trac C Trac F	DEVELOP ce Precedents ce Dependent nove Arrows Formula /	ER 5 % - - & Auditing	Watch Window	Calculation Options - Calculatio	<b>n</b>	Sig
HOME AutoSum Sert Ction Financial + Func ANDBET + A Values of a Values of c Values of c	INSERT PAGE L Constraints and the sed of th	€ * 10 * ne * 10 * =\$B\$1*( C	Name Manager D -51 -4 -3 -2 -1 0 1 2 3	Functions - Excel DATA REVIEW Define Name = Sty Use in Formula = Create from Selection Defined Names St2*D2+\$B\$3 E f(x)=x^2+4x+2	VIEW So Trac C Trac F	DEVELOP ce Precedents ce Dependent nove Arrows Formula /	ER 5 % - - & Auditing	Watch Window	Calculation Options - Calculatio	<b>n</b>	Sig
HOME AutoSum AutoSum AutoSum Recently U: Recently U: Financial ▼ Func ANDBET ▼ : A Values of a Values of b	INSERT PAGE L Constraints and the sed of th	€ * 10 * ne * 10 * =\$B\$1*( C	Name Manager D -5 -4 -4 -3 -2 -1 0 1 2 3 4	Functions - Excel DATA REVIEW Define Name = Sty Use in Formula = Create from Selection Defined Names St2*D2+\$B\$3 E f(x)=x^2+4x+2	VIEW So Trac C Trac F	DEVELOP ce Precedents ce Dependent nove Arrows Formula /	ER 5 % - - & Auditing	Watch Window	Calculation Options - Calculatio	n	Sig
ANDBET Yalues of c	INSERT PAGE L Constraints and the sed of th	€ * 10 * ne * 10 * =\$B\$1*( C	Name Manager D -51 -4 -3 -2 -1 0 1 2 3	Functions - Excel DATA REVIEW Define Name = Sty Use in Formula = Create from Selection Defined Names St2*D2+\$B\$3 E f(x)=x^2+4x+2	VIEW So Trac C Trac F	DEVELOP ce Precedents ce Dependent nove Arrows Formula /	ER 5 % - - & Auditing	Watch Window	Calculation Options - Calculatio	n	Sig
ANDBET Yalues of c	INSERT PAGE L Constraints and the sed of th	€ * 10 * ne * 10 * =\$B\$1*( C	Name Manager D -5 -4 -4 -3 -2 -1 0 1 2 3 4	Functions - Excel DATA REVIEW Define Name = Sty Use in Formula = Create from Selection Defined Names St2*D2+\$B\$3 E f(x)=x^2+4x+2	VIEW So Trac C Trac F	DEVELOP ce Precedents ce Dependent nove Arrows Formula /	ER 5 % - - & Auditing	Watch Window	Calculation Options - Calculatio	n	Sig
ANDBET Yalues of c	INSERT PAGE L Constraints and the sed of th	€ * 10 * ne * 10 * =\$B\$1*( C	Name Manager D -5 -4 -4 -3 -2 -1 0 1 2 3 4	Functions - Excel DATA REVIEW Define Name = Sty Use in Formula = Create from Selection Defined Names St2*D2+\$B\$3 E f(x)=x^2+4x+2	VIEW So Trac C Trac F	DEVELOP ce Precedents ce Dependent nove Arrows Formula /	ER 5 % - - & Auditing	Watch Window	Calculation Options - Calculatio	n	Sig
ANDBET Yalues of c	INSERT PAGE L Constraints and the sed of th	€ * 10 * ne * 10 * =\$B\$1*( C	Name Manager D -5 -4 -4 -3 -2 -1 0 1 2 3 4	Functions - Excel DATA REVIEW Define Name = Sty Use in Formula = Create from Selection Defined Names St2*D2+\$B\$3 E f(x)=x^2+4x+2	VIEW So Trac C Trac F	DEVELOP ce Precedents ce Dependent nove Arrows Formula /	ER 5 % - - & Auditing	Watch Window	Calculation Options - Calculatio	n	Sig
HOME AutoSum Sert Ction Financial + Func ANDBET + A Values of a Values of c Values of c	INSERT PAGE L Constraints and the sed of th	€ * 10 * ne * 10 * =\$B\$1*( C	Name Manager D -5 -4 -4 -3 -2 -1 0 1 2 3 4	Functions - Excel DATA REVIEW Define Name = Sty Use in Formula = Create from Selection Defined Names St2*D2+\$B\$3 E f(x)=x^2+4x+2	VIEW So Trac C Trac F	DEVELOP ce Precedents ce Dependent nove Arrows Formula /	ER 5 % - - & Auditing	Watch Window	Calculation Options - Calculatio	n	Sig
HOME AutoSum Sert Ction Financial + Func ANDBET + A Values of a Values of c Values of c	INSERT PAGE L Constraints and the sed of th	€ * 10 * ne * 10 * =\$B\$1*( C	Name Manager D -5 -4 -4 -3 -2 -1 0 1 2 3 4	Functions - Excel DATA REVIEW Define Name = Sty Use in Formula = Create from Selection Defined Names St2*D2+\$B\$3 E f(x)=x^2+4x+2	VIEW So Trac C Trac F	DEVELOP ce Precedents ce Dependent nove Arrows Formula /	ER 5 % - - & Auditing	Watch Window	Calculation Options - Calculatio	n	Sig

Fig 36: Auto-completion (lock the cells)

5. After applying the auto-completion select the columns D and E with values and for plotting the graph click on the INSERT tab and then click on charts and then select the scatter plot and choose the scatter chart you can see the parabolic curve in the given below fig 37. In this way, you can plot the graph.

FII	LE HOME	INSERT	PAGE LA	YOUT	FORMULA	AS DATA REVIEW	VIEW	DEVELO	PER D	ESIGN	FORMAT				
i	Chart Quick nent * Layout *	Change Colors *	$\mathbb{V}$		71,	Ĵ/ III)	1		Ĵ/	-	Switch Row/ Sel Column Da	ect Char ita Char	t Type	Move Chart	
	hart Layouts					Chart Styles					Data	T)	/pe L	ocation	
1	art 4 🔻	$\times$ $\vee$	$f_x$												
	A	В		С	D	E	F	G	н	1	1	К	L	ľ	N
	Values of a		1	2	x	f(x)=x^2+4x+2									
	Values of b		4	1	-5	7									
	alues of c		2	_	-4	2	5					-			THE
					-3					f(x	)=x^2+4x+2				+
					-2	-2					50				
	c				-1	-1	_							1	1
					0						40		/	/	Y
				_	1	7							/		-
				-	2	1.000	_				30		/		-
					3	110V.	-0					/			
		-			4	34	_				20	/			1
				-	5	47					10	/			
								~			14				
											0				
							-6	-4	-	2	¢.	2	4		6
											-10				J
							-C				10-1				_3
		1		-		-	-								
	3 4	heet1 She	200m	(+)					141						

Fig 37: Quadratic Function Graph

**Exponential Function:** An exponential function is a Mathematical function in the form  $f(x) = a^x$ , where "x" is a variable and "a" is a constant which is called the base of the function and it should be greater than 0.

The real-world applications of exponential functions are bacterial growth/decay, population growth/decline, and compound interest, pandemics (exponential growth of disease), smartphone uptake and sale, the exponential growth of cancer cells, etc.

In Excel, there is a built-in exponential function called as EXP function that returns a numeric value, which is equal to **e** raised to the power of a given number.

The Syntax for the EXP function

=EXP() Note: In between parenthesis you write the number.

EXP function in Excel takes only one input, which is required; it is the exponent value raised to base **e**.

The number e is an irrational number, whose value is constant and is approximately equal to 2.7182. This is number is also known as *Euler's Number*.

Now let's see that how to plot an exponential graph in excel. Let's take different values of x and apply the EXP function. In the given below fig 38. Apply the function EXP(1) for value 1 in Column B.

x	185	- ¢- =		Funct	ions - Excel			? 📧	– 🗆 ×
F	FILE H	OME INS	ERT PAG	E LAYOUT	FORMU	LAS DA	TA R	EVIEW V	IEW DEV
Pa	pboard G		≡ % nment Numb	For	ditional For nat as Table Styles ~ Styles		Cells	Editing	~
R	ANDBET	- : >	< 🖌 j	x =EXP	(1)				~
	А	В	с	D	E	F	G	н	1
1	×								
2									
3	1	=EXP(1)						_	
4	2								
5	3								
б	4								
7	5	5							
8	6	5							
9	7								· · · · · · · · · · · · · · · · · · ·
10	8							$\frown$	
11	9	)							
12	10	)							
13	11								-
	4. F	Sheet1	Sheet2	Sheet3	+	ः वि			Þ
ED	п 🛅				Ħ			-	-+ 100%
			Г:	~ 20. EV		li			

Fig 38: EXP () Function

After applying function for value 1 and then press enter you will get the value i.e. 2.718282 approximately. You can see in fig 39. Similarly, apply for different values and calculate the exponential values for different values of x.




Fig 39: EXP (1) Result

After calculating the values plot the exponential function graph by clicking on the INSERT tab, select the graph and choose the scatter chart. The graph would be automatically plotted. The graph is shown in fig 40.

-	· < <sup>&gt;</sup> · ↓	RT PA	AGE LAYOUT	FORMU	Function JLAS D		VIEW V	EW DE	VELOPER	CHA	RT TOOLS FORMAT		?	- 13	□ > Sigr
d Chart Qu ment - Layo Chart Layout	ut - Colors -		[]/] []		Chi	art Styles					Switch Row/ Column Data	Select Data	Change Chart Type Type	Move Chart Location	
nart 2	• : X	~	$f_X = SE$	RIES(,Shee	et3!\$A\$3:\$	A\$15,Shee	t3!\$B\$3:\$I	3\$15,1)							
А	В	с	D	E	F	G	Н	1	J	к	L	м	N	0	1
x															
			1							Ĩ-	+				_
1			-		EX	onentia	l Functio	n							_
2	7.389055		500000								1		_		
3	20.08554		450000						38	- 6					
	148.4132		400000								<b>Y</b>				-
6	403.4288		350000												-
7	1096.633		300000												
8	2980.958		250000									•			
9	8103.084		200000						22		$\square$				
10	22026.47		100000						10						
11	59874.14		50000						4						
12	162754.8		0	00 00	00 00	00 88	00 00	20 88	ю						
13	442413.4		0	88 88 2	88 88 4	84 86 6	8	10	12	14					-
			-			1									
															-
	Sheet1	Sheet2	Sheet3	(+)				X	ं वा		10				1 1
DY .	Sheett	sheetz	aneeco						- 1-1		HH (E	1 111			10

Fig 40: Exponential Function Graph

If you want to add Trend lines , right-click on the plotted graph line and select the Add Trend Line option as shown in fig 41.

r inter	ME INSERT	PAGE LAYOUT	FORMU	<b>V</b>	11-14	IEW V	IEW I	DEVELOPER	DESIGN	FORMAT	(TTT)		dla	S
Chart Qui Ient • Layo	ck Change ut * Colors *		<u>L</u>	<u>k</u>		1			J÷	Switch Row/ Column	Select Data	Change Chart Type	Move Chart	
hart Layouts				Chart	Styles					Data		Туре	Location	
art 2	• : X	✓ fx =se	RIES(,Shee	t31\$A\$3:\$A	\$15,Sheet	131\$B\$3:\$E	B\$15,1)							
A	B	C D	E	F	G	н	1	J	К	L	м	N	0	
C														
				_						+				
1	2.718282			Expo	onential	Functio	n		-					_
2	7.389056	500000								1				_
3	20.08554	450000							22					
4	54.59815	400000							ð. 7.					_
5	148.4132	350000							and and a statement	Series 1				
б	403.4288	300000						_	Fill Outline				_	_
7	1096.633	250000						T	1.12					
8	2980.958	200000							Delete		1		_	
9	8103.084	150000						88 4	Reset to N	Agtch Style				
10	22026.47	100000												_
11	59874.14	50000						99		eries Chart Type	E		_	
	162754.8	0	88 88	00 00	00 00	00 00	22 88		Select Dat	æ	1		_	_
13	442413.4	0		88 86 4	66 66	8	10	12 0	3-D Rotat	ion				_
		1			0.				Add Data	Labels	1.8			
									Add Trend	100 C				
									Huu Ten	AUGUS Con.				

Fig 41: Add TRENDLINE

After choosing the Trend Line, select the Exponential option in the list of Trend line options and apply it . The final Exponential Function graph would be shown in given fig 42 and 43.




Fig 43: Exponential Function Graph with TRENDLINE

1 4

Sheet1

Sheet2

Sheet3

1

18

DEAD

### Stock Market Data Sheet on Excel

In Microsoft 365 Excel, we get easily the stock and geographic data. We can convert the text into **Stock data type** as well as **Geography data type** which is mentioned in different cells.

In fig A which is given below in column, different cells with company names contain the Stocks data type. This icon: in symbolize the Stock Data Type. The Stocks data type is connected to an online source that contains more information. Columns B and C are used to extracting that information. Specifically, the values for price and change price are getting extracted from the Stocks data type in column A.

1	A	В	С
1	Company	Price	Change
2	🛍 JM Smucker Co	\$ 126.04	\$ 1.19
3	■ Kellogg Co	\$ 66.29	\$ (0.73)
4	🗎 Post Holdings Inc	\$ 76.76	\$ 0.73
5	Tyson Foods Inc	\$ 74.29	\$ 0.53
6			

Fig A: Stock Data Type

Let's take an example to get a better understanding of using Stock data type . How you convert the text into Stock and Geography Data Type.

In fig 44 which is given below, first, you have to type any text in the cell-like I have written google text in Column A cell A1.

If you want stock information, type a ticker symbol, company name, or fund name into each cell. If you want geographic data, type a country, province, territory, or city name into each cell.




Fig 44: Stock Information

After selecting the Stock information, as you can see in fig 45 ,the table of stock information would be placed on an Excel worksheet.

	<ul> <li>fx Company, ticker, or fund</li> </ul>					
A	B Company, ticker, or fund MSFT TMUS Nike Inc	C.	D	E H	elp Here's the deal with stocks: You start with just plain text. Then you convert the text into the Stocks data type. Finally, you add fields like Price. Last trade time, and so on.	×
	Starbucks Corp VOO PAUIX				a. Convert to Stocks     Click and drag to select cells B3	l
					through 88. On the Data tab, click the Stocks button.	
	Sheet1 Sheet2 Sheet3 +			* *	<ul> <li>Select the stock icon next to</li> <li>Starbucks, and then select the Extract Price to grid button that</li> </ul>	

Now the next step is that you have to convert into Stock Data type . For this you have to select the cells to go to the Data Tab and select the Stocks Data Type or Geography Data Type as per your data choice. So here I would choose the Stock data type according to my data .You can see in fig 46, you'll know they're converted if they have this icon for stocks: m and this icon for geography: m

File	Home Insert Page	Layout Formulas D	ata Review View	Help Open in Deskto	op App 2 Editing ~	🖻 Sharo 📮 🗘	Comment
ð~ [	3		Text to Colum	is 🗐 Flash Fill 🔜 Ri	emove Duplicates 🛛 😹	Data Validation	
Highligh	nted	provided "as-is" and not for professio	nel or trading purposes or advice.	earn mea			
) Stoc	The second se	В		D	E	lelp	×
onvert to	o Stocks					→ a. Convert to Stocks	
	ells with company names or ticke o get current stock info like price,					<ul> <li>Click and drag to select cells B3</li> </ul>	
		ereinige die ine e				through 88.	
	by Eing VOO	echnige a chine o				On the Data tab, click the Stocks	Т
	by Bing					<ul> <li>On the Data tab, click the Stocks button.</li> </ul>	П
Powered t	by Eing VOO	anniki an an a				<ul> <li>On the Data tab, click the Stocks button.</li> <li>Select the stock icon next to</li> </ul>	L
Powered b	by Eing VOO					<ul> <li>On the Data tab, click the Stocks button.</li> <li>Select the stock icon next to Starbucks, and then select the</li> </ul>	l
Powered b	by Eing VOO					<ul> <li>On the Data tab; click the Stocks button.</li> <li>Select the stock icon next to Starbucks, and then select the Extract Price to grid button that</li> </ul>	l
Powered b	by Eing VOO					<ul> <li>On the Data tab, click the Stocks button.</li> <li>Select the stock icon next to Starbucks, and then select the</li> </ul>	I
Powered b	by Eing VOO					<ul> <li>On the Data tab, click the Stocks button.</li> <li>Select the stock icon next to Starbucks, and then select the Extract Price to grid button that appears to the right of Price.</li> </ul>	l
Powered b 3 0 1 2 3 4	by Eing VOO				•	<ul> <li>On the Data tab; click the Stocks button.</li> <li>Select the stock icon next to Starbucks, and then select the Extract Price to grid button that</li> </ul>	

Fig 46: Stock and Geography Data Type

After selecting the stock data type you will see that the first Company Name Microsoft Corporation converted into Stock Data Type and you can see the symbol on the left corner of the text. Similarly, one by one you can convert all company names into a stock data type. You can see in both fig 47 and 48.

imer Financia	market information is provided "as-is" and not for professional o	or trading purposes or advice.	ANALY CONTRACTOR OF			
٣	fx MICROSOFT CORPORATION (XNAS:MSFT)					
A	В	C	D	E	Help	
-		đ		-		
	any, ticker, or fund				→ a. Convert	10 510015
TMU	CROSOFT CORPORATION (XNAS:MSFT)	_				
Nike					<ul> <li>Click and dra through B8.</li> </ul>	g to select cells B3
	ucks Corp					
VOO						tab, click the Stocks
PAUI	K.				button.	
					* Select the st	ock icon next to
					Starbucks, a	nd then select the
						to grid button that
					appears to ti	e right of Price.
				<u>ب</u> ۲	<ul> <li>Now delete t</li> </ul>	he price inside cell C6
≡ Shee	t1 Sheet2 Sheet3 +			1.5.1		e next few steps,
Но	ne Insert Page Layout	Formulas Da	tock Data Type	ew Help		esktop App
ß		Formulas Da	ta Review Vi	ew Help olumns 🖽	Flash Fill	
ß	Stocks ∨ Ž↓ Z↓ IT	Formulas Da	ta Review Vi	ew Help olumns 🖽	Flash Fill	
ß	Image: Stocks     ✓     A     Image: Stocks       nancial market information is provided "as-is"	Formulas Da	ta Review Vi	ew Help olumns 🖽	Flash Fill	
Claimer F	Image: Stocks     ✓     Ž↓     Ž↓     Image: Stocks       nancial market information is provided "as-is"       ✓     fx     PIMCO All Asset All Author       B	Formulas Da	ta Review Vi	ew Help olumns 🖽	Flash Fill	Remove Dupli
laimer f	Image: Stocks       ✓       Ž↓       Z↓       Image: Stocks         nancial market information is provided "as-is"       ✓       fx       PIMCO All Asset All Author         B       Company, ticker, or fund       B	Formulas Da	ta Review Vi	ew Help olumns 🖽	Flash Fill	Remove Dupli
Claimer F	Image: Stocks       ✓       Ž↓       Z↓       Image: Stocks         nancial market information is provided "as-is"       ✓       fx       PIMCO All Asset All Author         B       Image: Stocks       B       Image: Stocks       B         Company, ticker, or fund       Image: Stocks       MICROSOFT CORPORATION (XNA	Formulas Da	ta Review Vi	ew Help olumns 🖽	Flash Fill	Remove Dupli
laimer f	Image: Stocks       ✓       Ž↓       Z↓       Image: Stocks         nancial market information is provided "as-is"       ✓       fx       PIMCO All Asset All Author         B       Company, ticker, or fund       B	Formulas Da	ta Review Vi	ew Help olumns 🖽	Flash Fill	Remove Dupli
Claimer F	Image: Stocks       ✓       Ž↓       Z↓       Image: Stocks         nancial market information is provided "as-is"       ✓       fx       PIMCO All Asset All Author         B       Image: Stocks       B       Image: Stocks       B         Company, ticker, or fund       Image: Stocks       MICROSOFT CORPORATION (XNA	Formulas Da	ta Review Vi	ew Help olumns 🖽	Flash Fill	Remove Dupli
Claimer F	Image: Stocks       ✓       Ž↓       Z↓       Image: Stocks         nancial market information is provided "as-is"       ✓       fx       PIMCO All Asset All Author         B       Image: Stocks       B       Image: Stocks       B         Company, ticker, or fund       Image: Stocks       MICROSOFT CORPORATION (XNA Image: Stocks)         Image: T-MOBILE US, INC. (XNAS:TMUS)       Image: Stocks       Image: Stocks)	Formulas Da	ta Review Vi	ew Help olumns 🖽	Flash Fill	Remove Dupli
Claimer F	Image: Stocks       ✓       Ž↓       Z↓       Image: Stocks         nancial market information is provided "as-is"       ✓       fx       PIMCO All Asset All Author         Image: Stocks       ✓       fx       PIMCO All Asset All Author         Image: Stocks       ✓       fx       PIMCO All Asset All Author         Image: Stocks       Image: Stocks       Image: Stocks       Image: Stocks         Image: Stocks       Image: Stocks       Image: Stocks       Image: Stocks       Image: Stocks         Image: Stocks       Image: Stocks       Image: Stocks       Image: Stocks       Image: Stocks       Image: Stocks       Image: Stocks         Image: Stocks <t< td=""><td>Formulas Da</td><td>ta Review Vi</td><td>ew Help olumns 🖽</td><td>Flash Fill</td><td>Remove Dupli</td></t<>	Formulas Da	ta Review Vi	ew Help olumns 🖽	Flash Fill	Remove Dupli
Claimer F	Image: Stocks       ✓       Ž↓       Z↓       Image: Stocks         nancial market information is provided "as-is"       ✓       fx       PIMCO All Asset All Author         Image: Stocks       ✓       fx       PIMCO All Asset All Author         Image: Stocks       ✓       fx       PIMCO All Asset All Author         Image: Stocks       Image: Stocks       Image: Stocks       Image: Stocks         Image: Stocks       CORPORATION (XNA: TMUS)       Image: Stocks       Image: Stocks       Image: Stocks         Image: Stocks       Stocks       CORPORATION (XNA: TMUS)       Image: Stocks       Imag	Formulas Da	ta Review Vi	ew Help olumns 🖽	Flash Fill	Remove Dupli
Claimer F	Image: Stocks       ✓       Ž↓       Z↓       Image: Stocks         nancial market information is provided "as-is"       ✓       fx       PIMCO All Asset All Author         Image: Stocks       ✓       fx       PIMCO All Asset All Author         Image: Stocks       ✓       fx       PIMCO All Asset All Author         Image: Stocks       Image: Stocks       Image: Stocks       Image: Stocks         Image: StarBucks       Compony.ticker, or fund       Image: Stocks       Image: Stocks       Image: Stocks         Image: StarBucks       Compony.ticker, or fund       Image: Stocks	Formulas Da	ta Review Vi	ew Help olumns 🖽	Flash Fill	Remove Dupli
Claimer F	Image: Stocks       ✓       Ž↓       Z↓       Image: Stocks         nancial market information is provided "as-is"       ✓       fx       PIMCO All Asset All Author         Image: Stocks       ✓       fx       PIMCO All Asset All Author         Image: Stocks       ✓       fx       PIMCO All Asset All Author         Image: Stocks       Image: Stocks       Image: Stocks       Image: Stocks         Image: Stocks       CORPORATION (XNAS: TMUS)       Image: Stocks       Image: Stocks       Image: Stocks         Image: Stocks       Stocks       CORPORATION (XNAS: TMUS)       Image: Stocks       Im	Formulas Da	ta Review Vi	ew Help olumns 🖽	Flash Fill	Remove Dupli
Claimer F	Image: Stocks       ✓       Ž↓       Z↓       Image: Stocks         nancial market information is provided "as-is"       ✓       fx       PIMCO All Asset All Author         Image: Stocks       ✓       fx       PIMCO All Asset All Author         Image: Stocks       ✓       fx       PIMCO All Asset All Author         Image: Stocks       Image: Stocks       Image: Stocks       Image: Stocks         Image: Stocks       CORPORATION (XNAS: TMUS)       Image: Stocks       Image: Stocks       Image: Stocks         Image: Stocks       Stocks       CORPORATION (XNAS: TMUS)       Image: Stocks       Im	Formulas Da	ta Review Vi	ew Help olumns 🖽	Flash Fill	Remove Dupli
Claimer F	Image: Stocks       ✓       Ž↓       Z↓       Image: Stocks         nancial market information is provided "as-is"       ✓       fx       PIMCO All Asset All Author         Image: Stocks       ✓       fx       PIMCO All Asset All Author         Image: Stocks       ✓       fx       PIMCO All Asset All Author         Image: Stocks       Image: Stocks       Image: Stocks       Image: Stocks         Image: Stocks       CORPORATION (XNAS: TMUS)       Image: Stocks       Image: Stocks       Image: Stocks         Image: Stocks       Stocks       CORPORATION (XNAS: TMUS)       Image: Stocks       Im	Formulas Da	ta Review Vi	ew Help olumns 🖽	Flash Fill	Remove Dupli
Claimer F	Image: Stocks       ✓       Ž↓       Z↓       Image: Stocks         nancial market information is provided "as-is"       ✓       fx       PIMCO All Asset All Author         Image: Stocks       ✓       fx       PIMCO All Asset All Author         Image: Stocks       ✓       fx       PIMCO All Asset All Author         Image: Stocks       Image: Stocks       Image: Stocks       Image: Stocks         Image: Stocks       CORPORATION (XNAS: TMUS)       Image: Stocks       Image: Stocks       Image: Stocks         Image: Stocks       Stocks       CORPORATION (XNAS: TMUS)       Image: Stocks       Im	Formulas Da	ta Review Vi	ew Help olumns 🖽	Flash Fill	Remove Dupli



Once all done with the stock data type, after that you have to add different metrics or information related to different stocks in your data set. Select one or more cells with the data type and the Insert Data button is will appear as you can see in the above-given fig 48.Click that button and you will notice a lot of different information or fields associated with that particular stock. Choose one field and it will be added to the right of your current data set.

In the given example as shown in fig 49, I choose 52 weeks high, you can choose price also. For Geography, you might pick Population.

File	Ho	me Insert Page Layout Formulas Data	52 week low Dpen in Desktop App 🖉 Editing 🗸
D-	B	Ê Stocks ✓ 2↓ 1↓ 🗹 🔽 🔽	Beta h Fill 🔜 Remove Duplicates 😸 D
B3		<ul> <li>fr MICROSOFT CORPORATION (XNAS:MSFT)</li> </ul>	Change
	A	B	Change (%) E He
1			Change (Extended hours)
2		Company, ticker, or fund	
3		MICROSOFT CORPORATION (XNAS:MSFT)	Change % (Extended hours)
4		盦 T-MOBILE US, INC. (XNAS:TMUS)	Currency
5		NIKE, INC. (XNYS:NKE)	
6		盦 STARBUCKS CORPORATION (XNAS:SBUX)	Description
7		Vanguard 500 Idx;ETF (ARCX:VOO)	Employees
8		PIMCO All Asset All Authority Fund;Institutional	
9			Exchange
10			Exchange abbreviation
11			Exchange aboremation
12			Headquarters
13			
14			
15	1		
10 3	-	Sheet1 Sheet2 Sheet3 +	

Fig 49: 52-week high field

Once you press enter you will get the value associated with the chosen field. Similarly, apply the same formula with different data set and choose different fields also.

See the results in fig 50 and 51 which are given below.

BY	3	m Stocks ∨ 2↓ 1↓ II V V V	🛱 Text to Colum	ns 🛛 🔠 Flash Fill 🛛 🔜 Re	Remove Duplicates 🛛 😸 Data				
3		<ul> <li></li></ul>							
4	A	B	c	D	E	F			
2		Company, ticker, or fund							
3		microsoft corporation (xnas:msft)	\$ 255.99						
		盦 T-MOBILE US, INC. (XNAS:TMUS)		-					
5		@NIKE, INC. (XNYS:NKE)							
		STARBUCKS CORPORATION (XNAS:SBUX)							
		@ Vanguard 500 Idx;ETF (ARCX:VOO)							
3		@ PIMCO All Asset All Authority Fund; Institutional							
4									
0									
1									
2									
3									
4									
5									
4	1.								

Fig 50: Result of the selected field

File														
<15		- Ja												
	A	6		с	D	£	F	G	н					
1														
2		Company, ticker, or fund	52 Wk Hi	gh 🦳										
3		MICROSOFT CORPORATION (XNAS:MSFT)	\$	255.99										
4		盦 T-MOBILE US, INC. (XNAS:TMUS)	\$	135.54										
5		T NIKE, INC. (XNYS:NKE)	5	147.95										
6		T STARBUCKS CORPORATION (XNAS:SBUX)	\$	113.96										
7		D Vanguard 500 ldx;ETF (ARCX:VOO)	\$	378.40										
8														
8 9														
10														
11														
12														
14														
15														

Sheet1 Sheet2 Sheet3 +

Fig 51: 52 Week High field result

Click the Insert Data button again to add more fields. If you're using a table, here's a tip: Type a field name in the header row. For example, type Change in the header row for stocks, and the change in the price column will appear.

## Collect Data on weather, price, inflation and pollution: Analyse the Data and make meaningful Inferences

Before going to the inferences we must know about Data Analysis. So **Data Analysis** is the process of cleaning, transforming and modelling the data to discover useful information for business decision-making. The main purpose of Data Analysis is to extract useful information from data and suggesting conclusions, taking the better and right decision based upon the data analysis.

**Data Analysis** is defined by the statistician John Tukey in 1961 as "Procedures for analysing data, techniques for interpreting the results of such procedures, ways of planning the gathering of data to make its analysis easier, more precise or more accurate, and all the machinery and results of (mathematical) statistics which apply to analysing data."

### Data Analysis through Excel

Excel provides different functions, commands, and tools for making data analysis easy. You can also do data analysis of large data sets by using PivotTables and produce desired reports.

### Data Analysis consists of different phases:



Fig 52: Data Analysis Phases

### Generating Inference from Data

**Pivot tables** are an amazing tool for analysing large data sets. It also helps in summarizing data and explore data insights.

For creating a Pivot table and analyse the data follow these steps. You can import the data set externally by clicking on the DATA tab choose the option From Other sources and select the option as per your requirement. You can import data from other options like From Access, From Web and Text. You can see the options in the given fig 53.




Fig 53: Import Dataset in Excel

Let's take an example like suppose you are working with company data, you have questions like "How much revenue is contributed by branches of North region?" or "What was the average number of customers for product A or B?" and many others. Then pivot table is the best tool for analysing this kind of data.

A pivot table provides different operations like count, average, sum, and perform other calculations according to the reference which you have selected i.e. It converts a data table to an inference table so that we can analyse the data and which helps us to make better decisions.

The table given in fig 54 has sales detail of each customer with the region and product mapping. In the table which is given in fig 55, we have summarized the information at the regional level which now helps us to generate an inference that the South region has the highest sales.

**		l.	-	= = = 8	Ger	eral +	Condition	onal Formatting	* 📰 In	sert *	Σ - AT	-
	alibri		- A A					as Table -		elete 👻		
te 🦋 B	BIU-	· 🖽 •	• <u>A</u> •	住裡 約.	€.0 00.	.00	Cell Styl			ormat *	2 -	
board 😼		Font	5	Alignment	rs Ni	umber 🕠		Styles	C	ells	Editing	
	1. 1~		fx									
	1 . [~	V J	x									
А		В	С	D	E	F	G	н	1	J	K	
Customer id		olicy_id P		Premium(\$)								
	1	4010 0			East							_
	2	1001 B 2030 B			South		-	-				-
	4	1020 B			West	-						
	5	1025 0		18400								
	6	4003 B			North							-
	7	1090 C			North							
	8	4123 A			South							
	9	1111 0	:	9600	South							
	10	1123 A	1	15800	West				•			
	11	1233 A			West							
	12	3456 A	•	18400	South	-		A				_
						-					_	
						-				-	-	-
						_						
-	رکہ ج IE INSE	RT PAGI	E LAYOUT			Dataso sis - Excel REVIEW		DEVELOPER		?	æ –	
LE HOM	IE INSE	* 11	• A A	FORMULAS	Data Analy DATA Gene	rsis - Excel REVIEW rral ~ % 9	VIEW	nal Formatting + s Table +	a Inse	rt 🕶		
е ном	IE INSE	* 11	• A A		Data Analy DATA Gene	rsis - Excel REVIEW rral ~ % 9	view	nal Formatting + s Table +		rt - te -	Σ • <sup>A</sup> ZT •	
E HOM	IE INSE	* 11	• A A	FORMULAS	Data Analy DATA Gene	rsis - Excel REVIEW rral * % *	VIEW	nal Formatting * s Table * s *	The Dele	rt + te + nat+	∑ • <sup>A</sup> z▼• ↓ • M••	Sig
E HOM	IE INSE	• 11	• A* A*	FORMULAS	Data Analy DATA Gene	rsis - Excel REVIEW rral * % *	VIEW	nal Formatting * s Table * s *	Dele	rt + te + nat+	∑ - 2+ ↓ - 2+ ∢ -	Sig
HOM	IE INSE	+ 11   ⊞ +   ≤ Font	• A* A*	FORMULAS F = = = = = E = = = Alignment	Data Analy DATA Gene 50 Nur	rsis - Excel REVIEW rral ~ % * % nber rs	VIEW	nal Formatting * s Table * s * tyles	Dele	rt ≠ te ≠ nat≠	∑ • 2̂▼• ↓ • m • editing	Sig
Hom Hom Hom Hom Hom Hom Hom Hom Hom Hom	IE INSE	+ 11   ⊞ +   ≤ Font		FORMULAS F = = = = = E = = ? Alignment E	Data Analy DATA Gene	rsis - Excel REVIEW rral * % *	VIEW	nal Formatting * s Table * s *	Dele	rt + te + nat+	∑ - 2+ ↓ - 2+ ∢ -	Sig
E HOM	IE INSE	+ 11   ⊞ +   ≤ Font		FORMULAS F = = = = = E = = = Alignment	Data Analy DATA Gene 50 Nur	rsis - Excel REVIEW rral ~ % * % nber rs	VIEW	nal Formatting * s Table * s * tyles	Dele	rt ≠ te ≠ nat≠	∑ • 2̂▼• ↓ • m • editing	Sig
HOM HOM HOM HOM HOM HOM HOM HOM HOM HOM	IE INSE	+ 11   ⊞ +   ≤ Font	<ul> <li>A<sup>*</sup> A<sup>*</sup></li> <li>A<sup>*</sup></li> <li>A<sup>*</sup></li> <li>D</li> <li>C</li> <li>20700</li> </ul>	FORMULAS FORMULAS F F F F F F F Alignment E Grand Total	Data Analy DATA Gene 50 Nur	rsis - Excel REVIEW rral ~ % * % nber rs	VIEW	nal Formatting * s Table * s * tyles	Dele	rt ≠ te ≠ nat≠	∑ • 2̂▼• ↓ • m • editing	Sig
E HOM	IE INSE	- 11 Font C B 1500 6700	A A A -	FORMULAS = = = = = = = = = = Alignment E Grand Total 20700 19100 37700	Data Analy DATA Gene 50 Nur	rsis - Excel REVIEW rral ~ % * % nber rs	VIEW	nal Formatting * s Table * s * tyles	Dele	rt ≠ te ≠ nat≠	∑ • 2̂▼• ↓ • m • editing	Sig
E HOM	IE INSE alibri 3 I U - B A 21400 22100	+ 11 Font C B 1500 5600	A A A	FORMULAS FORMULAS FORMULAS F F F Alignment E Grand Total 20700 19100 37700 27700	Data Analy DATA Gene 50 Nur	rsis - Excel REVIEW rral ~ % * % nber rs	VIEW	nal Formatting * s Table * s * tyles	Dele	rt ≠ te ≠ nat≠	∑ • 2̂▼• ↓ • m • editing	Sig
E HOM	IE INSE	+ 11 Font C B 1500 5600	A A A	FORMULAS = = = = = = = = = = Alignment E Grand Total 20700 19100 37700	Data Analy DATA Gene 50 Nur	rsis - Excel REVIEW rral ~ % * % nber rs	VIEW	nal Formatting * s Table * s * tyles	Dele	rt ≠ te ≠ nat≠	∑ • 2̂▼• ↓ • m • editing	Sig
E HOM	IE INSE alibri 3 I U - B A 21400 22100	+ 11 Font C B 1500 5600	A A A	FORMULAS FORMULAS FORMULAS F F F Alignment E Grand Total 20700 19100 37700 27700	Data Analy DATA Gene 50 Nur	rsis - Excel REVIEW rral ~ % * % nber rs	VIEW	nal Formatting * s Table * s * tyles	Dele	rt ≠ te ≠ nat≠	∑ • 2̂▼• ↓ • m • editing	Sig
E HOM	IE INSE alibri 3 I U - B A 21400 22100	+ 11 Font C B 1500 5600	A A A -	FORMULAS FORMULAS FORMULAS F F F Alignment E Grand Total 20700 19100 37700 27700	Data Analy DATA Gene 50 Nur	rsis - Excel REVIEW rral * % * % nber rs	VIEW	nal Formatting * s Table * s * tyles	Dele	rt ≠ te ≠ nat≠	∑ • 2̂▼• ↓ • m • editing	Sig
E HOM	IE INSE alibri 3 I U - B A 21400 22100	+ 11 Font C B 1500 5600	A A A -	FORMULAS FORMULAS FORMULAS F F F Alignment E Grand Total 20700 19100 37700 27700	Data Analy DATA Gene 50 Nur	rsis - Excel REVIEW rral * % * % nber rs	VIEW	nal Formatting * s Table * s * tyles	Dele	rt ≠ te ≠ nat≠	∑ • 2̂▼• ↓ • m • editing	Sig
E HOM	IE INSE alibri 3 I U - B A 21400 22100	+ 11 Font C B 1500 5600	A A A -	FORMULAS FORMULAS FORMULAS F F F Alignment E Grand Total 20700 19100 37700 27700	Data Analy DATA Gene 50 Nur	rsis - Excel REVIEW rral * % * % nber rs	VIEW	nal Formatting * s Table * s * tyles	Dele	rt ≠ te ≠ nat≠	∑ • 2̂▼• ↓ • m • editing	Sig
HOM HOM HOM HOM HOM HOM HOM HOM HOM HOM	IE INSE alibri 3 I U - B A 21400 22100	+ 11 Font C B 1500 5600	A A A -	FORMULAS FORMULAS FORMULAS F F F Alignment E Grand Total 20700 19100 37700 27700	Data Analy DATA Gene 50 Nur	rsis - Excel REVIEW rral * % * % nber rs	VIEW	nal Formatting * s Table * s * tyles	Dele	rt ≠ te ≠ nat≠	∑ • 2̂▼• ↓ • m • editing	Sig
HOM HOM HOM HOM HOM HOM HOM HOM HOM HOM	IE INSE alibri 3 I U - B A 21400 22100	+ 11 Font C B 1500 5600	A A A -	FORMULAS FORMULAS FORMULAS F F F Alignment E Grand Total 20700 19100 37700 27700	Data Analy DATA Gene 50 Nur	rsis - Excel REVIEW rral * % * % nber rs	VIEW	nal Formatting * s Table * s * tyles	Dele	rt ≠ te ≠ nat≠	∑ • 2̂▼• ↓ • m • editing	Sig
HOM HOM HOM HOM HOM HOM HOM HOM HOM HOM	IE INSE alibri 3 I U - B A 21400 22100	+ 11 Font C B 1500 5600	A A A -	FORMULAS FORMULAS FORMULAS F F F Alignment E Grand Total 20700 19100 37700 27700	Data Analy DATA Gene 50 Nur	rsis - Excel REVIEW rral * % * % nber rs	VIEW	nal Formatting * s Table * s * tyles	Dele	rt ≠ te ≠ nat≠	∑ • 2̂▼• ↓ • m • editing	Sig
HOM HOM HOM HOM HOM HOM HOM HOM HOM HOM	IE INSE alibri 3 I U - B A 21400 22100	+ 11 Font C B 1500 5600	A A A -	FORMULAS FORMULAS FORMULAS F F F Alignment E Grand Total 20700 19100 37700 27700	Data Analy DATA Gene 50 Nur	rsis - Excel REVIEW rral * % * % nber rs	VIEW	nal Formatting * s Table * s * tyles	Dele	rt ≠ te ≠ nat≠	∑ • 2̂▼• ↓ • m • editing	Sig
HOM HOM HOM HOM HOM HOM HOM HOM HOM HOM	IE INSE alibri 3 I U - B A 21400 22100	+ 11 Font C B 1500 5600	A A A -	FORMULAS FORMULAS FORMULAS F F F Alignment E Grand Total 20700 19100 37700 27700	Data Analy DATA Gene 50 Nur	rsis - Excel REVIEW rral * % * % nber rs	VIEW	nal Formatting * s Table * s * tyles	Dele	rt ≠ te ≠ nat≠	∑ • 2̂▼• ↓ • m • editing	Sig
LE HOM	IE INSE alibri 3 I U - B A 21400 22100	+ 11 Font C B 1500 5600	A A A -	FORMULAS FORMULAS FORMULAS F F F Alignment E Grand Total 20700 19100 37700 27700	Data Analy DATA Gene 50 Nur	rsis - Excel REVIEW rral * % * % nber rs	VIEW	nal Formatting * s Table * s * tyles	Dele	rt ≠ te ≠ nat≠	∑ • 2̂▼• ↓ • m • editing	Sig

Fig 55: Inference Table

### How to create a Pivot table, follow the steps given below:

1. First click anywhere in the list of the dataset, here I have selected the cell D7 of Column Premium and then click on the INSERT tab and choose Pivot Table in the left side corner of Tab. Once you choose, Excel automatically selects the chosen area which consists of the data values including the heading. If it doesn't select automatically then you have to do it manually to drag over the area to select a particular cell. See the given below fig 56 for selecting the pivot table.

	5-∂- HOME I	∓ INSERT	PA	GE LAYOUT	FORMULAS	Data Analysi DATA	s - Excel	VIEW	DEVELO	PER		? [	<u>+</u> –	□ × Sign i
ivot Tabl	e Recommender PivotTables Tables	d Table	100	trations Add	Recommend	ed ₩ - ₩ Charts	· ili ·	PivotChart	Sparklines *	Filters	Hyperlink Links	A Text	Ω Symbols	s
A1	* I	X	1.	fx 1500										
4	A	В		с	D	E	Creat	e PivotTable	2				?	×
Cust	tomer id	Policy	_id	Product Id	Premium(\$)	Region	-							
1		1 4	1010	С	2300	East		se the data t	and the second sec	nt to ana	iyze			
1		2 1	1001	В	1500	South		elect a table	and a state of the					
1		3 3	2030	В	5200	South		and the second second	nge: Shee		SES13			1
		4 1	1020	В	5600	West	01	<u>J</u> se an exten	nal data sou	irce				
1		5 1	1025	С	18400	East		Chaose	Connection	R)ee				
1		6 4	1003	В	1500	North		Connecti	on name:					
1		7 1	1090	с	17600	North	Choos	se where you	u want the F	PivotTabl	e report to b	e placed		
		8 4	123	A	3000	South	01	ew Worksh	eet					
		9 1	1111	с	9600	South	0	xisting Wor	ksheet					
	1	.0 1	1123	A	15800	West		Location:	x					1
2	1	1 1	1233	A	6300	West	Choo	e whether y	ou want to	analyze	multiple tabl	ac		
1	1	2 3	456	A	18400	South	M COLOR	Add this data			and the second			
1	man - Forn de la cress	_	_			50			a to the Dat	a model		_		
5						1					OK		Cancel	
5														
7														
3														F
4	Shee	t1 Sł	neet2	•				: 4					1	•

Fig 56: Create Pivot Table from INSERT Tab

2. After selecting the option new worksheet, place the pivot table on a new sheet and click ok. Now you can see the pivot table in the new worksheet shown in the fig 57.




Fig 57: Pivot Table creation in the new worksheet

3. Now you can see the pivot table panel at the right-hand corner which contains different fields in the given list. Choose the field as per need for data analysis and making inferences based on them. Once you select the fields, here I have selected Product id, Premium and Region Field.

4. After that your pivot table is created you can see in the fig 58.

	Show	mmended otTables	art Reco	PivotCha	园 alculations ず	Actions		resh Change • Source Data		Insert Slicer	→ Group	Active Field *	otTable
								bels	Row	$\times \checkmark f_x$	1	٣	43
	en en en		1	G	F	-	E	D	С	в		A	
Fields	Table F	Pivot											
to report:	elds to add	Choose fi									-		_
			_	_		_				of Premium(\$)	Sum	Labels	-
		Custo								43500 21400		South	₿A
	-	Policy				_				21400		West	
		Produ								13800		West	BB
		Regio								1500		North	
		(1997) - 1997 1997 - 1997 1997 - 1997				-				6700		South	
	BLES	MORE TA								5600		West	
areas below:	ls between	Drag field								47900			BC
NAMES STREET										20700		East	. 1
III COLUMNS	RS	T FILTE								17600		North	
										9600		South	
Σ VALUES	s	E ROW								105200		d Total	Gra
Carl Contraction of the Contract of the Contra		Product				-		-			-		-
	· ·												

Fig 58: Pivot Table

5. If you want to change the rows and columns of the fields which you have selected then rightclick the row or column label or the item in a label, point to Move, and then use one of the commands on the Move menu to move the item to another location. Seein fig 59.

	Show	votTables	hart Reco	PivotC	限 Calculations ×	Actions	ange Data		Refr	Insert Slicer	→ Group *	ble Active Field 7	ivot Tab
			10015				a		ow Lab			*	A4
Fields 🔹			H	3	F (		E	D	с	B Column Labels 💌	- Arista		_
	_id ict Id ium(\$)	Custor Policy Produ				0700 0100 7700 7700	19 37	C 20700 17600 9600	B 1500 6700 5600	A 21400 22100	¥	orth uth	Eas
		MORE TAI				5200		47900		43500		and Total	
n areas below:		Drag field											
Σ VALUES	s •	■ ROW Region											
- P			-										-

Fig 59: Pivot Table (Generated Inference)

6. In Fig 59. given above, we have arranged the Region in row and Product Id in column and sum of premium taken as value. Now the pivot table is created and inferences generated. You can also use different functions like sum, average, min, max and other summary fields. We have summarized the information at the region level which now helps us to generate an inference that the South region has the highest sales.

**Creating Charts**: For taking better business decisions and making inferences, data visualization through charts or graphs would be very useful. In excel, for making different charts, click on the INSERT tab select charts and choose any chart .

For the above given data set, visualization of pivot table would be shown like this.




Fig 60: Creating Charts

Similarly, we can analyse the weather also by collecting the weather dataset and make inferences based on different parameters or metrics. Get the daily temperature and weather conditions .You can take the metrics: Weather Type and for visualization choose different colours for every different weather, whether its rain, cloud, snow or sun. Make a table with two columns one for weather description and another for type.

Now for analysis, Choose a date, day, temp and weather for making better predictions and making decisions.

## Collect data from newspapers on traffic, sports activities and on market trends and use excel to study future trends.

Before going to study future trends first we must know about some terminologies which have worked and going to help you in predicting, analysing the trends.

**Forecasting:** It is the process of predicting the future by analysing the past and present data. When we talk about Quantitative forecasting so it will work on time series data like we want to know the number of passengers flying every year on planes by use of time series data.

Some important components of time -series are Trend and Seasonality.

**Trend:** It is the long term tendency of the variable to increase or decrease over a period of time. For example the number of passengers flying every year on planes by use of time series data.

Examining sales patterns to see if sales are declining because of specific customers or products or sales regions

**Seasonality**: In this pattern is repeating at a regular interval of time. For example, retail sales tend to peak for the Christmas season and then decline after the holidays. So time series of retail sales will typically show increasing sales from September through December and declining sales in January and February.

Forecasting is the most important technique for predicting future trends and opportunities. Companies use to make good and better business decisions.

Let's see more examples to get a better understanding of forecasting.

- Economists use forecasting techniques to predict future recessions, ups and downs in the market values and accordingly they recommend good plans.
- Government bodies use forecasting for making a plan and build their policies.
- Companies Managers use forecasting to predict sales and accordingly they make their budgets, plan things and hire employees.
- Profiling customer behaviour, preferences and buying habits.
- Finding uncommon developments over the period, which we need to address in our forecasts.
- Studying sales patterns to predict future performance.

In Excel, some important functions are available for forecasting like

- forecast.linear(): It predicts the values by using past values.
- forecast.ets(): It predicts values by existing values.
- forecasting.ets.seasonality(): It works on the number of seasonal patterns .
- forecasting.ets.confint(): It predicts the value at the specified target date.

#### **Excel TREND function:**

Let's take an example to suppose that you are analysing some data for a sequential period of time and you want to analyse some trend or pattern.

In this example, we have the month numbers (independent x-values) in cell A2:A13 and sales numbers (dependent y-values) in cell B2:B13. Based on this data, we want to determine the overall trend in the time series.For this select the cells C2:C13, type the formula which is given below and press Ctrl + Shift + Enter to complete it:

=TREND (B2:B13, A2:A13)

If you want to draw the trend line, then select the sales and trend values cells (B1:C13) and select the line chart (Insert tab > Charts group > Line or Area Chart).

You can see the result, it consists of both the numeric values for the line of best fit and a visual representation of those values in a graph also.

<b>T</b> -	?				sis - Excel	ta Analy		🚺 🔂 🗇 - Ġ - 📼					
		DEVELOPER	EW	W V	REVI	DATA	MULAS	FOR	AGE LAYOUT	NSERT I	DME I	LE HO	F
	현물 Group ~ 현물 Ungroup 문화 Subtotal Outline		ve Dupli alidation	- Remo	Text to Columns	oply	🍢 Reap	Filter	$\begin{array}{c} A \downarrow \\ Z \downarrow \\ A \downarrow \\ Z \downarrow \\ Z \downarrow \\ Sort \end{array}$	roperties dit Links	fresh	external Re	
						A13)	:B13,A2:	REND(B2	$f_x = TR$	X V	•	NDBET	R/
L	к	J	1	н	G		F	E	D	c	в	A	
										Trend	Sales	Month	1
								A13)	2:B13,A2:A	=TREND(	\$3,100	1	2
											\$3,700	2	3
											\$3,500	3	ţ
											\$3,400	4	5
											and the second se		5
													6
		-											}
	•						_			-	-Tural and a second		E.
							_						0
							_			-			1
	_						_				110		2
							-			-	Ş3,400	12	5
-							-						4 5
													6
			•		X								7
				•									8
	- 19 19	e뗾 Group * *문 e뗾 Ungroup - 元 Effl Subtotal Outline Fa	DEVELOPER 응 아이	IEW DEVELOPER Fill 문~ 행당 Group · * : we Duplicates 방 · 행당 Ungroup - : Validation - 핵심 행당 Subtotal Tools Outline 12	EW VIEW DEVELOPER Flash Fill 문~ 행당 Group * * 1 다 Remove Duplicates 파고 행당 Ungroup - 1 당 Data Validation - 마입 행당 Subtotal Data Tools Outline 19	REVIEW     VIEW     DEVELOPER       Image: Brance Duplicates     Image: Brance Duplicates     Image: Brance Duplicates       Text to Columns     Image: Data Validation     Image: Brance Duplicates       Data Tools     Outline     Image: Brance Duplicates	DATA     REVIEW     VIEW     DEVELOPER       r     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       pply     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Text to Columns     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Data Tools     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Data Tools     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Text to     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Text to     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Text to     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Data Tools     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Data Tools     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Atl3     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill	MULAS     DATA     REVIEW     VIEW     DEVELOPER       Clear     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill     Image: Flash Fill       Image: Flash Fill     Image: Flash Fill	FORMULAS     DATA     REVIEW     VIEW     DEVELOPER       Image: Solution of the second	PAGE LAYOUT       FORMULAS       DATA       REVIEW       VIEW       DEVELOPER $2\downarrow$ $\boxed{2}\downarrow$ <	NSERT       PAGE LAYOUT       FORMULAS       DATA       REVIEW       VIEW       DEVELOPER         Connections $2\downarrow$ $\boxed{X}$ $\boxed{K}$ <	DME       INSERT       PAGE LAYOUT       FORMULAS       DATA       REVIEW       VIEW       DEVELOPER         Image: Connections $2\downarrow$ Image: Clear       Image: Clear <t< td=""><td>ILE       HOME       INSERT       PAGE LAYOUT       FORMULAS       DATA       REVIEW       VIEW       DEVELOPER         Image: Sector at a value of the sector of the s</td></t<>	ILE       HOME       INSERT       PAGE LAYOUT       FORMULAS       DATA       REVIEW       VIEW       DEVELOPER         Image: Sector at a value of the sector of the s

### Fig 61: TREND Function

C2 👻		: {=T	REND(	B2:B13,A2:A	13)}												
4	A	в		c	D	1	E		1	F			G		ï	н	1
1	Month (known_x's)	Sales (known		Trend													
2	1	\$3	,100	\$3,552						Te							
3	2	\$3	,700	\$3,586						In	enc	1					
4	3	\$3	,500	\$3,619	\$5,000												
5	4	\$3	,400	\$3,653	\$4,000						1	-	~	-	-		_
6	5	\$3	,350	\$3,687	\$3,000	7	-	-	-							-	-
7	6	\$4	,400	\$3,721													
8	7	\$4	,500	\$3,754	\$2,000												
9	8	\$4	,000	\$3,788	\$1,000												
10	9	\$4	,200	\$3,822	\$0												
11	10	\$3	,800	\$3,856		1	2	3	4	5	6	7	8	9	10	11	12
12	11	\$3	,500	\$3,889				-	_	Sales	_	T	rend				
13	12	\$3	,400	\$3,923						oures							

