
Exercise 10.1

Question 1:

For each of the given solid, the two views are given. Match for each solid the corresponding top and front views. The first one is done for you.





Exact Answer 1:


- (a) \longrightarrow (iii) \longrightarrow (iv)
- $(b) \longrightarrow (i) \longrightarrow (v)$
- $(c) \longrightarrow (iv) \longrightarrow (ii)$
- $(d) \longrightarrow (v) \longrightarrow (iii)$
- $(e) \longrightarrow (ii) \longrightarrow (i)$

Question 2:

For each of the given solid, the three views are given. Identify for each solid the corresponding top, front and side views.








Enalty Answer 2:

- (a) \longrightarrow (i) \longrightarrow Front (ii) \longrightarrow Side (iii) \longrightarrow Top view
- (b) \longrightarrow (i) \longrightarrow Side (ii) \longrightarrow Front (iii) \longrightarrow Top view (c) \longrightarrow (i) \longrightarrow Front (ii) \longrightarrow Side (iii) \longrightarrow Top view
- (d) \longrightarrow (i) \longrightarrow Front (ii) \longrightarrow Side (iii) \longrightarrow Top view

Question 3:

For each given solid, identify the top view, front view and side view.




Enally Answer 3:

- (a) \longrightarrow (i) \longrightarrow Top view (ii) \longrightarrow Front view (iii) \longrightarrow Side view
- (b) \longrightarrow (i) \longrightarrow Side view (ii) \longrightarrow Front view (iii) \longrightarrow Top view
- (c) \longrightarrow (i) \longrightarrow Top view (ii) \longrightarrow Side view (iii) \longrightarrow Front view
- $(d) \longrightarrow (i) \longrightarrow \text{Side view (ii)} \longrightarrow \text{Front view (iii)} \longrightarrow \text{Top view}$
- (e) \longrightarrow (i) \longrightarrow Front view (ii) \longrightarrow Top view (iii) \longrightarrow Side view

Question 4:

Draw the front view, side view and top view of the given objects:




Answer 4:

S. No.	Object	Front -view	Side -view	Top -view
(a)	A military tent Top Front			
(b)	A table Top Side Front			
S. No.	Object	Front -view	Side -view	Top -view
(c) (d)	A nut Top Side Front A hexagonal block			
	Front			
(e)	Top Side	••	•	
(f)	A solid Top general series of the series o			

Exercise 10.2

Question 1:

Look at the given map of a city.



Answer the following:

- (a) Colour the map as follows: Blue water, Red fire station, Orange library, Yellow schools, Green park, Pink college, Purple hospital, Brown Cementary.
- (b) Mark the green 'X' at the intersection of Road 'C' and Nehru Road, Green 'Y' at the intersection of Gandhi Road and Road 'A'.
- (c) In red, draw a short street route from Library to the bus depot.
- (d) Which is further east, the city park or the market?
- (e) Which is further south, the Primary School or the Sr. Secondary School?

E Answer 1:

This is a creativity, so do yourself.

Question 2:

Draw a map of your class room using proper scale and symbols for different objects.

Answer 2:

Do yourself.

Question 3:

Draw a map of your school compound using proper scale and symbols for various features like playground, main building, garden etc.

Answer 3:

Do yourself.

Question 4:

Draw a map giving instructions to your friend so that she reaches your house without any difficulty.

Answer 4:

Do yourself.

Exercise 10.3

Question 1:

Can a polygon have for its faces:

- (i) 3 triangles
- (ii) 4 triangles
- (iii) a square and four triangles

Answer 1:

- (i) No, a polyhedron cannot have 3 triangles for its faces.
- (ii) Yes, a polyhedron can have four triangles which is known as pyramid on triangular base.
- (iii) Yes, a polyhedron has its faces a square and four triangles which makes a pyramid on square base.

Question 2:


Is it possible to have a polyhedron with any given number of faces? (Hint: Think of a pyramid)

Langer Answer 2:

It is possible, only if the number of faces are greater than or equal to 4.

Question 3:

Which are prisms among the following:



Answer 3:

Figure (ii) unsharpened pencil and figure (iv) a box are prisms.

Question 4:

- (i) How are prisms and cylinders alike?
- (ii) How are pyramids and cones alike?

Answer 4:

- (i) A prism becomes a cylinder as the number of sides of its base becomes larger and larger.
- (ii) A pyramid becomes a cone as the number of sides of its base becomes larger and larger.

Question 5:

Is a square prism same as a cube? Explain.

Answer 5:

No, it can be a cuboid also.

Question 6:

Verify Euler's formula for these solids.



Exact Answer 6:

(i) Here, figure (i) contains 7 faces, 10 vertices and 15 edges. Using Euler's formula, we see F + V - E = 2

Putting
$$F = 7$$
, $V = 10$ and $E = 15$,

$$F + V - E = 2$$

$$\Rightarrow$$
 7 + 10 - 5 = 2

$$\Rightarrow$$
 17 - 15 = 2

$$\Rightarrow$$
 2 = 2

$$\Rightarrow$$
 L.H.S. = R.H.S.

(ii) Here, figure (ii) contains 9 faces, 9 vertices and 16 edges. Using Euler's formula, we see F + V – E = 2

$$F + V - E = 2$$

$$\Rightarrow$$
 9 + 9 - 16 = 2

$$\Rightarrow$$
 18 - 16 = 2

$$\Rightarrow$$
 2 = 2

$$\Rightarrow$$
 L.H.S. = R.H.S.

Question 7:

Using Euler's formula, find the unknown:

Faces	?	5	20
Vertices	6	?	12
Edges	12	9	?

Answer 7:

In first column,

$$F = ?, V = 6 \text{ and } E = 12$$

Using Euler's formula, we see F + V - E = 2

$$F + V - E = 2$$

$$\Rightarrow$$
 F + 6 - 12 = 2

$$\Rightarrow$$
 F - 6 = 2

$$\Rightarrow$$
 F = 2 + 6 = 8

Hence there are 8 faces.

In second column, F = 5, V = ? and E = 9

Using Euler's formula, we see F + V - E = 2

$$F + V - E = 2$$

$$\Rightarrow$$
 5 + V - 9 = 2

$$\Rightarrow$$
 V - 4 = 2

$$\Rightarrow$$
 V = 2 + 4 = 6

Hence there are 6 vertices.

nelice there are 6 vertices

In third column, F = 20, V = 12 and E = ?

Using Euler's formula, we see F + V - E = 2

$$F + V - E = 2$$

$$\Rightarrow$$
 20 + 12 - E = 2

$$\Rightarrow$$
 32 - E = 2

$$\Rightarrow$$
 E = 32 - 2 = 30

Hence there are 30 edges.

Question 8:

Can a polyhedron have 10 faces, 20 edges and 15 vertices?

Answer 8:

If F = 10, V = 15 and E = 20. Then, we know Using Euler's formula, F + V - E = 2L.H.S. = F + V - E= 10 + 15 - 20= 25 - 20 = 5 www. Areamicoppering R.H.S. = 2•.• L.H.S. \neq R.H.S.

Therefore, it does not follow Euler's formula.